

Draft Initial Study and Mitigated Negative Declaration

Application for Conditional Use Permit
AGreenCultureDHS, Inc.
Conditional Use Permit 25-16
Development Agreement 16-16

Prepared for:

City of Desert Hot Springs
65950 Pierson Boulevard
Desert Hot Springs, California 92240



Prepared by:



MSA Consulting, Inc.
34200 Bob Hope Drive
Rancho Mirage, CA 92270

Desert Hot Springs Planning Department
Scott Taschner
Associate Planner
City of Desert Hot Springs
65950 Pierson Boulevard
Desert Hot Springs, California 92240
760-329-6411

TABLE OF CONTENTS

<i>Title</i>	<i>Page No.</i>
<i>Chapter 1 - Introduction</i>	
1.1 Purpose and Authority	3
1.2 Determination	4
1.3 Authority to Prepare a Negative Declaration	4
1.4 Public Review Process	4
<i>Chapter 2 – Project Summary</i>	
2.1 Project Location.....	5
2.2 Project Description	8
2.3 Mitigation Monitoring Program.....	11
<i>Chapter 3 – Environmental Checklist Form</i>	14
<i>Chapter 4 – Discussion of Environmental Topics</i>	16



CHAPTER ONE – INTRODUCTION

1.1 Purpose and Authority

This Initial Study and Mitigated Negative Declaration has been prepared to construct a medical marijuana cultivation facility in accordance with adopted City Ordinance No. 552 and 553 pertaining to the regulation of Medical Marijuana facilities. Ordinance No. 552 is codified in Chapter 5.50 and Ordinance No. 553 is codified in Chapter 17.180 of the Desert Hot Springs Municipal Code. The facilities permitted under these ordinances include medical marijuana dispensaries and medical marijuana cultivation facilities that are owned and operated by bona fide non-profit organizations, such as cooperative or a collective. These facilities are subject to the provisions of the Compassionate Use Act of 1996 (California Health and Safety Code Sections 11362.7 through 11362.83), the California Attorney General's Guidelines for the Security and Non-Diversion of Marijuana Growth for Medical Use (issued in August, 2008), and any future state laws pertaining to cultivating and dispensing Medical Marijuana, such as State Assembly Bill 266 (AB 266) adopted October 9, 2015.

The City of Desert Hot Springs allows cultivation of marijuana for medical use within Industrial Districts with approval of a Conditional Use Permit (CUP), Development Agreement and Medical Marijuana Regulatory Permit. The proposed Project is located on a qualifying Light Industrial (I-L) District. Medical marijuana cultivation is only permitted in the interior of enclosed structures, facilities, and buildings. Cultivation operations, including all marijuana plants at any stage of growth, shall not be visible from the exterior or any structure, facility or building containing cultivation of Medical Marijuana.

The Project proposes to develop a 29,000 square foot facility specialized for the indoor cultivation of medical marijuana on a 1.23 acre site in accordance with Desert Hot Springs Municipal Code 5.50 and 7.180 (Medical Marijuana Facilities). The development includes a single two-story, free standing tilt up/greenhouse structure. Approximately 15,729 sf of building space on the 1st floor will be dedicated for reception, conference room, office support, breakroom, cultivation/processing, and approximately 13,464 sf will be used for greenhouse grow space on the 2nd floor. In total the Project will contain approximately 29,193 sf of total building area. The entire Project site will be secured by 6 foot high perimeter fencing and construction is proposed in one (1) phase.

This document has been prepared in accordance with the California Environmental Quality Act (CEQA), Public Resources Code Section 21000 et. seq. The City of Desert Hot Springs will serve as the lead agency pursuant to CEQA.



1.2 Determination

This Initial Study determined that development of the proposed medical marijuana cultivation facility would not have a significant impact on the environment, with the implementation of mitigation measures. A Mitigated Negative Declaration is proposed.

1.3 California Environmental Quality Act (CEQA) Authority to Prepare a Mitigated Negative Declaration

This Draft Mitigated Negative Declaration (DMND) has been prepared by the City of Desert Hot Springs as lead agency and is in conformance with Section 15070, Subsection (a), of the State of California Guidelines for Implementation of the CEQA. The purpose of the DMND and the Initial Study Checklist was to determine whether there were potentially significant impacts associated with development of the AGreenCultureDHS, Inc. cultivation facility.

1.4 Public Review Process

In accordance with CEQA, a good faith effort has been made during the preparation of this DMND to contact affected agencies, organizations and persons who may have an interest in this Project. The MND has been sent to the Riverside County Clerk, responsible agencies, and advertised in The Desert Sun.



City of Desert Hot Springs

Date: December 2016

Project Title: Application for Conditional Use Permit No. 25-16, DA 16-16

Project Name: AGreenCultureDHS, Inc.

Page 4

CHAPTER TWO – PROJECT DESCRIPTION

2.1 Project Vicinity

The Project is located on 1.13 net acres of undisturbed desert land on the northeast corner of Little Morongo Road and 15th Ave, in the City of Desert Hot Springs, California.

Total Project Area: 1.23 gross acres

Assessor's Parcel Number: 665-050-021; 027; 030


Section, Township & Range Description or reference:

A Portion of Parcel 43 RS 21/55 Section 1, Township 3 South, Range 4 East, San Bernardino Base Line & Meridian

The 1.23 -acre site consists of vacant desert land and is located on the northeast corner of Little Morongo Road and 15th Ave. The Project site contains slight to moderate amounts of typical desert vegetation (scrub brush and low-lying plants). Topographically, the site drains to the south/southeast. The site has no street improvements and has street access via Little Morongo Road, a two lane paved road. East of the property is the Coachella Valley Multi-Species Habitat Conservation Plan (CVMSHCP) Morongo Wash Conservation Area. The entire site is within two Federal Emergency Management Agency (FEMA) flood zones AO, with a depth of 1' and velocity of 5 FPS and a velocity of 4 FPS.

The location of the Project site is shown below in Exhibit 1 and 2.





MSA CONSULTING, INC.
PLANNING ■ CIVIL ENGINEERING ■ LAND SURVEYING

34200 BOB HOPE DRIVE ■ RANCHO MIRAGE ■ CA 92270
TELEPHONE (760) 320-9811 ■ FAX (760) 323-7893

Vicinity Map

AGreenCultureDHS, Inc.
Initial Study



MSA CONSULTING, INC.
PLANNING ■ CIVIL ENGINEERING ■ LAND SURVEYING

34200 BOB HOPE DRIVE ■ RANCHO MIRAGE ■ CA 92270
TELEPHONE (760) 320-9811 ■ FAX (760) 323-7893

Aerial Photograph

AGreenCultureDHS, Inc.
Initial Study



2.2 Project Description

The Project proposes to develop a 29,000 square foot facility specialized for the indoor cultivation of medical marijuana on a 1.23 acre site in accordance with Desert Hot Springs Municipal Code 5.50 and 7.180. The development includes a single two-story, free standing tilt up/greenhouse structure. Approximately 15,729 sf of building space on the 1st floor will be dedicated for reception, conference room, office support, breakroom, cultivation/processing, and approximately 13,464 sf will be used for greenhouse grow space on the 2nd floor. In total the Project will contain approximately 29,193 sf of total building area. The entire Project site will be secured by 6 foot high perimeter fencing and construction is proposed in one (1) phase.

The Project includes a Conditional Use Permit (Municipal Code 17.180.090), Regulatory Permit (Municipal Code Chapter 5.50), and a Development Agreement. Approval of these entitlements will render the Project in full compliance with City regulations. In addition, all medical marijuana cultivation operations and any related activities, such as transportation, manufacturing, and testing, are required to comply with all relevant State laws.

The first floor of the structure will consist of tilt up construction with plaster finish. The 2nd floor will consist of pre-engineered greenhouse structures fitted with translucent roof panels to allow ample light for cultivation purposes. Building facades and design will consist of rich 3 dimensional forms and architectural elements in the style of contemporary desert architecture. Contrasting accent colors will bring out and visually enhance the architectural features and elements. The overall architectural character will be that of an attractive, well-maintained industrial building. Site perimeter will be enclosed with wrought-iron or tubular steel fencing to enhance visuals and secure perimeter.

Landscaping has been designed to balance aesthetic, water use and security objectives. Along Little Morongo Road and 15th Ave, landscaping will consist of Mexican fan palms, mulgas, and desert museum Palo Verde, along with low level plantings and wrought iron or tubular steel fencing to visually enhance, protect and blend the cultivation facility into its surroundings while also promoting visibility by law enforcement vehicles from the street. The balance of the cultivation facility will be landscaped with drought-tolerant ground covering plantings as approved by the City of Desert Hot Springs. Landscaping will also include large drought-tolerant flowering trees and shrubs typically found in the region. Plant irrigation will use drip or micro-spray applicators to avoid overwatering and promote water efficiency. Automated, water efficient application systems will be used for indoor growing areas. The site design incorporates water efficient plant materials for all Project landscaping.

Security measures have been thoroughly incorporated into the Project design. The site is proposed to be enclosed within perimeter security fencing. Gated entry/exit drives will control vehicular access onto and off the property. Security cameras will be mounted on all exterior doors, perimeter fencing and entry gates. A more detailed, comprehensive security plan is required by the City during the regulatory permit phase. This will include specific locations and areas of coverage by security cameras; location of audible interior and exterior alarms; location of exterior lighting; name and contact information of Security Company monitoring the site and any additional information required by the City.







Proposed circulation and parking will be consistent with City parking standards. Off-Street parking standards for Medical Marijuana Cultivation uses are not specifically defined in the City Zoning Code. Therefore, parking ratios for similar uses including Office (1 space per 250 square feet) and plant nurseries (1 space per 2,500 square feet are utilized), resulting in a requirement of 21 total parking spaces. The Project proposes to provide 24 parking spaces and 2 ADA parking stalls for a total of 26 stalls. Ingress and egress to the site will be provided from Little Morongo Road and 15th Ave via two gated access points. Access will be monitored and secured by on-site personal. Controlled access key boxes will be available for emergency use by police and fire personnel.

Individual operations would be similar to that of a standard wholesale nursery without onsite sales. There will be no general public access to the facility at any time. When fully staffed, the facility could generate approximately 20 employees with a normal work week of approximately 40 hours. All staff will be subject to thorough background checks as per City regulations.


All processing activities will take place within the interiors of the proposed buildings, including propagation, curing, processing, potting, transplanting and shipping. Other uses may include extracting oils from the Cannabis plants using Fire Department approved CO₂ equipment. Finished product will be packaged and loaded onto delivery trucks within secured, enclosed garage areas located within each cultivation building.

The Project site plan is shown below, in Exhibit 3.





ABBREVIATIONS		LEGEND	
IS	EAST	---	EXISTING CABLE
IN	NORTH	---	EXISTING FIREHOSE DRAIN LINE
IS	SOUTH	---	EXISTING FAULTLINE
IS	WEST	---	EXISTING ELECTRIC
A.C.	ASPHALT CONCRETE	---	EXISTING GAS
AS	ASBESTOS	---	EXISTING IRRIGATION
APN	ASSessor'S PARCEL NUMBER	---	EXISTING LOT LINE
B	BOUNDARY	---	EXISTING EDGE OF PAVEMENT
CL	CENTERLINE	---	EXISTING TELEPHONE
CLG	CURB AND GUTTER	---	EXISTING OVERHEAD TELEPHONE
CP	EDGE OF PAVEMENT	---	EXISTING RIGHT OF WAY
IS	EAST	---	EXISTING POWER POLE: MAIN
IS	WEST	---	EXISTING WATER
IS	NORTH	---	EXISTING CITY/ COUNTY LIMITS
IS	SOUTH	---	PROJECT BOUNDARY
IS	EAST	---	PROPOSED PARCEL LINE
IS	WEST	---	PROPOSED AND EXISTING CENTER LINE
IS	NORTH	---	PROPOSED RIGHT OF WAY
IS	SOUTH	---	PROPOSED CURB
IS	EAST	---	PROPOSED BUILDING ENVELOPE
IS	WEST	---	PROPOSED PARKING SPACES
IS	NORTH	---	
IS	SOUTH	---	
IS	EAST	---	
IS	WEST	---	
IS	NORTH	---	
IS	SOUTH	---	



IN THE CITY OF DESERT HOT SPRINGS, COUNTY OF RIVERSIDE, STATE OF CALIFORNIA

CONDITIONAL USE PERMIT PROPOSED SITE PLAN


EXHIBIT DATE: OCTOBER 5, 2016

DATA TABLE				
APPLICANT:	AGREENCULTUREDHS, INC.			
ADDRESS:	17973 MEDLEY DRIVE ENCINO, CALIFORNIA 91316			
CONTACT:	DMITRY MARGUSOV TELEPHONE: (310) 770-0366			
LAND OWNER:	GREEN GATE BRIDGE LLC.			
ADDRESS:	17973 MEDLEY DRIVE ENCINO, CALIFORNIA 91316			
CONTACT:	DMITRY MARGUSOV TELEPHONE: (310) 770-0366			
LAND OWNER:	DESERT MISSION LLC.			
ADDRESS:	17973 MEDLEY DRIVE ENCINO, CALIFORNIA 91316			
CONTACT:	DMITRY MARGUSOV TELEPHONE: (310) 770-0366			
EXHIBIT PREPARE:	MSA CONSULTING, INC.			
ADDRESS:	34200 BOB HOPE DRIVE RANCHO MIRAGE, CALIFORNIA 92270			
CONTACT:	PAUL DEPALAIS, AICP TELEPHONE: (760) 320-9811			
SOURCE OF TOPOGRAPHY:	MIAND AERIAL SURVEYS, INC.			
ADDRESS:	7117 ARJUNION AVENUE, SUITE "A" RIVERSIDE, CALIFORNIA 92503			
DATE OF TOPOGRAPHY:	APRIL 1, 2015 TELEPHONE: (951) 687-4232			
ASSESSOR'S PARCEL NUMBER:	665-090-021, 027 & 050			
LEGAL DESCRIPTION:	A PORTION OF PARCEL 43 IN 21555 SECTION 1 TOWNSHIP 3 SOUTH, RANGE 4 EAST, SAN BERNARDINO BASE & MERIDIAN			
LAND USE DATA:	ACREAGE			
EXISTING GROSS ACREAGE:	1.22 AC.			
LITTLE MORONGO ROAD & 15TH AVENUE R/W EASEMENT DEDICATION:	0.10 AC.			
PROPOSED NET ACREAGE:	1.13 AC. (1,028)			
	AREA			
BUILDING AREA:	15,729 SF (GFA) / 0.36 AC.			
	13,464 SF (GL)			
	29,193 SF (TOTAL)			
ACCESS ROADS, HARDSCAPE AND PARKING:	0.44 AC.			
LANDSCAPE AREAS AND RETENTION BASIN:	0.33 AC.			
ON-SITE PARKING DATA:	BUILDING SF	PARKING RATIO	COUNT	PERCENTAGE
OFFICE	2,335 SF	1 STALL PER 250 SF	10 STALLS	8%
PROCESSING	4,379 SF	1 STALL PER 2,500 SF	2 STALLS	10%
CULTIVATION	22,479 SF	1 STALL PER 2,500 SF	9 STALLS	77%
TOTAL PARKING REQUIRED	-	-	21 STALLS	100%
TOTAL PARKING PROVIDED	-	-	26 STALLS	-
EXISTING ZONING:	LIGHT INDUSTRIAL (L1)			
PROPOSED ZONING:	LIG-IT INDUSTRIAL (L1) WITH CONDITIONAL USE PERMIT			
EXISTING GENERAL PLAN LAND USE:	LIGHT INDUSTRIAL (L1)			
PROPOSED GENERAL PLAN LAND USE:	LIGHT INDUSTRIAL (L1) WITH CONDITIONAL USE PERMIT			
SURROUNDING LAND USES:	NORTH: VACANT LAND (ZONED LIGHT INDUSTRIAL)			
	SOUTH: VACANT LAND (ZONED LIGHT INDUSTRIAL)			
	EAST: VACANT LAND (ZONED LIGHT INDUSTRIAL)			
	WEST: VACANT LAND (ZONED LIGHT INDUSTRIAL)			
PUBLIC UTILITY PURVEYORS:	ELECTRIC: SOUTHERN CALIFORNIA EDISON CO. (800) 694-8123			
	GAS: THE GAS COMPANY / SEMPER ENERGY (909) 338-7625			
	TELEPHONE: VERICON COMPANY (800) 483-5000			
	WATER: MISSION SPRINGS WATER DISTRICT (760) 329-6448			
	SEWER: COACHELLA VALLEY WATER DISTRICT (760) 345-1312			
	LULU UNDERGROUND SERVICE ALERT (800) 227-2460			
FEMA FLOOD ZONE DESIGNATION:	ZONE AO - AREAS OF 1% ANNUAL CHANCE FLOOD HAZARD WITH AVERAGE DEPTH OF 1 FOOT			
FIRM NUMBER:	66545C0285; EFFECTIVE DATE: AUGUST 28, 2008			
Condition of Permit Issue:	1. Medical Marijuana Cultivation in accordance with Desert Hot Springs Municipal Code Chapter 5.10 and 17.180 including plant cloning, cultivation, harvesting, drying, extraction, and processing of oils and butters, CO2 equipment use for enhanced plant growth and extraction, processing and packaging and shipping.			
	2. This facility has been designed in accordance with Patient and Visitor regulations governing the cultivation of medical marijuana pursuant to Code Chapter 5.10 and 17.180, current state law codified in the Compassionate Use Act of 2016 (California Health and Safety Code Sections 113627 through 113628.04), the California Attorney General's Guidelines for the Security and Protection of Marijuana Growth for Medical Use (Issued in August, 2016) and the Medical Marijuana Regulation and Safety Act (SB 693). The requested use, site layout, and site conditions are used in any related activities, such as transportation, manufacturing, and testing are designed for full compliance and testing under both existing and potential future city and state laws governing the cultivation of medical marijuana.			

MSA CONSULTING, INC.
 PLANNING ■ CIVIL ENGINEERING ■ LAND SURVEYING
 34200 Bob Hope Drive ■ Rancho Mirage ■ CA 92270
 Telephone: (760) 320-9811 ■ Fax: (760) 323-7893

MSA CONSULTING, INC.
 PLANNING ■ CIVIL ENGINEERING ■ LAND SURVEYING
 34200 BOB HOPE DRIVE ■ RANCHO MIRAGE ■ CA 92270
 TELEPHONE (760) 320-9811 ■ FAX (760) 323-7893

Project Site Plan
AGreenCultureDHS, Inc.
 Initial Study



Legend:

- Septic System Line work
- - - Sewer System Line work



MSA CONSULTING, INC.
 PLANNING ■ CIVIL ENGINEERING ■ LAND SURVEYING

34200 BOB HOPE DRIVE ■ RANCHO MIRAGE ■ CA 92270
 TELEPHONE (760) 320-9811 ■ FAX (760) 323-7893

Project Site Plan with Sewer Overlay

AGreenCultureDHS, Inc.
 California Environmental Quality Act

2.3 Mitigation Monitoring Program

Table 2-1: Mitigation Monitoring Program outlines the potential impacts and mitigation measures of the proposed Project, and assigns responsibility for the oversight of each mitigation measure. This Table shall be included in all bid documents and included as part of the Project development.



City of Desert Hot Springs

Date: December 2016

Project Title: Application for Conditional Use Permit No. 25-16, DA 16-16

Project Name: AGreenCultureDHS, Inc.

Page 11

**Table 2-1
Mitigation Monitoring Program**

Section Number	Mitigation Measures	Responsible for Monitoring	Timing	Impact after Mitigation
IV. Biological Resources	BR-1: The Project proponent shall ensure that the applicable MSHCP Local Development Mitigation Fee is paid to the City. The time of payment must comply with the City's Municipal Code (Chapter 3.40).	Developer	Prior to building permits	Less than significant
	BR-2: The Project proponent shall ensure that burrowing owl clearance survey is performed not more than 30 days prior to Project site disturbance (grubbing, grading, and construction). If any owls are identified, the most current protocol established by the California Department of Fish and Wildlife (Burrowing Owl Mitigation) must be followed.	Developer Planning Dept.	Prior to grading and other ground disturbing activities	Less than significant
V. Cultural Resources	CR-1: If during the course of grading or construction, artifacts of other cultural resources are discovered, all grading on the site shall be halted and the applicant shall immediately notify the City Planner. A qualified archaeologist shall be called to the site by, and at the cost of, the applicant to identify the resource and recommended mitigation if the resource is culturally significant. The archaeologist will be required to provide copies of any studies or reports to the Eastern Information Center for the State of California located at the University of California Riverside and the Agua Caliente Tribal Historic Preservation Office (THPO) for permanent inclusion in the Agua Caliente Cultural Register.	Planning Department Qualified Archaeologist	During grading and other ground disturbing activities	Less than significant



Section Number	Mitigation Measures	Responsible for Monitoring	Timing	Impact after Mitigation
	<p>CR-2: The applicant shall ensure that any excavations deeper than 10-15 feet shall be monitored by a qualified paleontological monitor. The monitor shall be prepared to quickly salvage fossils as they are unearthed to avoid construction delays, but must have the power to temporarily halt or divert grading equipment to allow for removal of abundant or large specimens.</p>	<p>Planning Department Qualified Archaeologist</p>	<p>During grading and other ground disturbing activities</p>	<p>Less than significant</p>
	<p>CR-3: All fossils and associated data recovered during the paleontological monitoring shall be reposted in a public museum or other approved curation facility.</p>	<p>Planning Department Qualified Paleontologist</p>	<p>During grading and other ground disturbing activities</p>	<p>Less than significant</p>
	<p>CR-4: In the event that any human remains are discovered, the applicant shall cease all work and contact the Riverside County Coroner's Office and work shall not resume until such time that the site has been cleared by County Coroner and the Desert Hot Springs Police Department. The applicant shall also be required to consult with the Agua Caliente Tribal Historic Preservation Office (THPO).</p>	<p>Planning Department</p>	<p>During grading and other ground disturbing activities</p>	<p>Less than significant</p>



Potentially
Significant
Impact

Less Than
Significant with
Mitigation
Incorporated

Less Than
Significant
Impact

No
Impact

CHAPTER THREE – ENVIRONMENTAL CHECKLIST

1. **Project Name:** AGreenCultureDHS, Inc.
2. **Lead Agency Name and Address:**
City of Desert Hot Springs
65950 Pierson Boulevard
Desert Hot Springs, California 92240
3. **Contact Person and Phone Number:**
Scott Taschner
Associate Planner
760-329-6411
4. **Project Location:**
See Exhibits 1 and 2
5. **Project Applicants' Name and Address:**
AGreenCultureDHS, Inc.
c/o Dmitry Margusov
17973 Medley Drive
Encino, CA 91316
6. **General Plan Designation:** I-L Light Industrial District
7. **Zoning Designation:** I-L Light Industrial District
8. **Description of Project:** To process a Conditional Use Permit to construct a medical marijuana facility specifically geared for cultivation. The development includes a single two-story, free standing tilt up/greenhouse structure. Approximately 15,729 sf of building space on the 1st floor will be dedicated for reception, conference room, office support, breakroom, cultivation/processing, and approximately 13,464 sf will be used for greenhouse grow space on the 2nd floor. In total the Project will contain approximately 29,193 sf of total building area. The Project is located on 1.23 gross acres of undeveloped vacant land.
9. **Surrounding Land Uses and Setting:** Surrounded on the north by light industrial uses, vacant desert land to the east and south, and Mission Creek Interim Channel to west and south.
10. **Other public agencies whose approval is required (e.g., permits, financing approval, or participation agreement.):** None.



Potentially Significant Impact

Less Than Significant with Mitigation Incorporated

Less Than Significant Impact

No Impact

ENVIRONMENTAL FACTORS POTENTIALLY AFFECTED:

The environmental factors checked below would be potentially affected by this Project, involving at least one impact that is a "Potentially Significant Impact" as indicated by the checklist on the following pages.

- Aesthetics
- Biological Resources
- Greenhouse Gases
- Land Use / Planning
- Population / Housing
- Transportation/Traffic
- Agriculture Resources
- Cultural Resources
- Hazards & Hazardous Materials
- Mineral Resources
- Public Services
- Utilities / Service Systems
- Air Quality
- Geology /Soils
- Hydrology / Water Quality
- Noise
- Recreation
- Mandatory Findings of Significance

DETERMINATION: (To be completed by the Lead Agency)

On the basis of this initial evaluation:

- I find that the proposed project COULD NOT have a significant effect on the environment, and a NEGATIVE DECLARATION will be prepared.
- I find that although the proposed project could have a significant effect on the environment, there will not be a significant effect in this case because revisions in the project have been made by or agreed to by the project proponent. A MITIGATED NEGATIVE DECLARATION will be prepared.
- I find that the proposed project MAY have a significant effect on the environment, and an ENVIRONMENTAL IMPACT REPORT is required.
- I find that the proposed Project MAY have a "potentially significant impact" or "potentially significant unless mitigated" impact on the environment, but at least one effect 1) has been adequately analyzed in an earlier document pursuant to applicable legal standards, and 2) has been addressed by mitigation measures based on the earlier analysis as described on attached sheets. An ENVIRONMENTAL IMPACT REPORT is required, but it must analyze only the effects that remain to be addressed.
- I find that although the proposed Project could have a significant effect on the environment, because all potentially significant effects (a) have been analyzed adequately in an earlier EIR or NEGATIVE DECLARATION pursuant to applicable standards, and (b) have been avoided or mitigated pursuant to that earlier EIR or NEGATIVE DECLARATION, including revisions or mitigation measures that are imposed upon the proposed Project, nothing further is required.

Associate Planner

Date



City of Desert Hot Springs

Date: December 2016

Project Title: Application for Conditional Use Permit No. 25-16, DA 16-16

Project Name: AGreenCultureDHS, Inc.

Page 15

Potentially Significant Impact

Less Than Significant with Mitigation Incorporated

Less Than Significant Impact

No Impact

CHAPTER FOUR – DISCUSSION OF ENVIRONMENTAL TOPICS

Issues:

I. AESTHETICS -- Would the Project:

- a) Have a substantial adverse effect on a scenic vista?

Discussion:

The Project encompasses approximately 1.23 acres of undeveloped land located east of Little Morongo Road and north of the unimproved alignment of 15th Avenue. In its current condition, the vacant Project property forms part of a larger Light Industrial (I-L) land use district designated on the east side of Little Morongo Road. As such, the Project property and its neighboring land to the north, east, and south are intended by land use and zoning designation to support business parks and the development of industrial uses operating in enclosed buildings. Medical marijuana facilities are permitted within light industrial districts of the City, but are subject to additional development and operational restrictions pursuant to Desert Hot Springs Municipal Code Chapters 5.50 and 17.180.

The City of Desert Hot Springs has varying distinguished views of surrounding topographic features and mountain ranges. The perception and uniqueness of scenic vistas from a particular setting can differ according to the location and surrounding context, which is in part influenced by the presence and intensity of man-made neighboring improvements and other visual barriers (e.g. structures, utilities). In the City of Desert Hot Springs, development primarily consists of one or two-story structures with limited massing. Existing light industrial development in the City typically consists of metal buildings with low-pitch roofs, and a mass and scale appropriate for the zoning district, parcel size, and operation being supported.

The Project property is presently vacant and predominantly flat with scattered vegetation coverage associated with the Sonoran creosote bush scrub community. There are no salient topographic features or other visual landmarks on-site or on its general surroundings. The Project property is bordered to the west by Little Morongo Road, the centerline of which demarcates the City boundary. Land on the west side of Little Morongo Road (unincorporated) is undeveloped and includes the Mission Creek Interim Channel. On the south, the project is bordered by 15th Avenue, which consists of an informal dirt and gravel road within a 60-foot-wide right-of-way. Land on the south side of 15th Avenue also maintains an undeveloped condition and includes a portion of the Mission Creek Interim Channel. Properties immediately to the north and east of the project are in a vacant state with similar conditions to those found on-site. The north-adjacent parcel includes a temporary earthen soil berm that rises approximately 6 feet compared to the northerly project edge. This man-made feature was caused by off-site soil movement (import) and therefore is not considered a natural condition. The east side of Little Morongo Road, which constitutes the project's westerly frontage, includes overhead electricity lines mounted on steel tube poles. Little Morongo Road and 15th Avenue do not have light posts or illuminated light signals.



City of Desert Hot Springs

Date: December 2016

Project Title: Application for Conditional Use Permit No. 25-16, DA 16-16

Project Name: AGreenCultureDHS, Inc.

Page 16

Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
--------------------------------------	---	------------------------------------	--------------

In its current condition, the undeveloped Project property has distant and relatively unobstructed views of the Little San Bernardino Mountains to the west, north and east. The San Jacinto and Santa Rosa Mountains are visible to the southeast, south and southwest. All visible mountain ranges are located over a mile from the Project site and none have a formal designation as a scenic vista in relation to the Project setting. Moreover, there are no existing residential structures in the project vicinity, such that would currently be benefiting from localized or regional mountain views.

The proposed site design involves one two-story building with parking lot facilities and gated entry points within fenced limits. The building has a proposed maximum height of 37 feet to the top-of-roof. The construction materials include concrete tilt-up panels with exterior plaster, metal ribbed siding, and pre-engineered modular greenhouse structure with pitched roofs. The proposed finishes have light colored tones and accented signage to result in a visually unified architectural style with a desert contemporary theme. Downward-oriented lighting in the parking lot and drive aisles would provide the necessary nighttime illumination for safety and facility security.

The proposed landscaping design and ornamental iron fence with concrete masonry unit block pilasters will be coordinated with the site design and building presence. The project edges, particularly the Little Morongo Road and 15th Avenue frontages, will be improved with trees, palms, shrubs, ground-cover and accent plantings to visually complement the surrounding desert environment while providing the necessary visibility for law enforcement purposes. The landscaping design will be subject to review and approval by the City of Desert Hot Springs. In the context of the existing setting and land use designation, the proposed Project is not anticipated to adversely alter the existing viewshed on any scenic vistas and less than significant impacts are expected.

Mitigation Measures: None

- b) Substantially damage scenic resources, including, but not limited to, trees, rock outcroppings, and historic buildings within a state scenic highway?

Discussion:

The Project property is characterized by relatively flat, undeveloped land with scattered vegetation. Steel poles with overhead lines are found on the west frontage, which is the east side of Little Morongo Road. The Project property does not contain any landmarks or scenic resources, such as trees, rock outcroppings, and historic buildings that would be damaged by the proposed development. A Historical and Archaeological Resources Survey Report, performed by CRM Tech in October of 2016, found no evidence of recognizable potential historic resources, as defined in Section 15064.5 of the CEQA Guidelines that would be adversely affected by the proposed Project.

The purpose of the State Scenic Highway Program is to preserve and protect scenic State highway corridors from change that would diminish the aesthetic value of lands adjacent to highways. State highways can be officially designated as Scenic Highways or be determined to be eligible for designation. The status of a state scenic highway changes from eligible to “officially designated” when a local jurisdiction adopts a scenic corridor protection program and the California Department of Transportation (Caltrans) approves the designation as a Scenic Highway. The Caltrans status map of



Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
---	---	---	----------------------

scenic highway designations indicates that Highway 62, from north of Interstate 10 to the San Bernardino County line, is considered an Eligible State Scenic Highway, but is not officially designated.

Moreover, the Project is not located within close proximity to any designated county scenic highway. According to the Circulation Element of the Riverside County General Plan Update, the nearest roadway deemed eligible to be a County Scenic Highway is a segment of Pierson Boulevard, located approximately 1.4 miles to the north. Interstate 10, located approximately 2.6 miles to the south, is also considered eligible to be a County Scenic Highway.

Based on the project's location, the proposed site plan, architectural design, and landscaping design would not result in adverse impacts to the distant scenic resources within a state scenic highway or other local transportation corridor. Less than significant impacts are expected.

Mitigation Measures: None

- c) Substantially degrade the existing visual character or quality of the site and its surroundings?

Discussion:

As previously discussed, the proposed site plan involves one two-story building with a maximum height of 37 feet and ground floor area of 15,729 square feet, surrounded by parking lot facilities and landscaping enhancements within fenced limits. The proposed building would involve an architectural design and construction materials intended to coordinate with the exterior features, such as the landscaping and ornamental iron fence with masonry block pilasters.

The heights and setbacks of the proposed facilities will be required to comply with the local standards for industrial development. Consistent with the existing land use standards, the proposed medical marijuana cultivation will only be conducted in the interior of enclosed structures, facilities and buildings. All cultivation operations and all marijuana plants at any stage of growth shall not be visible from the exterior of any structure, facility or building containing the cultivation of medical marijuana.

On-site improvements also include parking lot facilities and interior drive aisles with downward-oriented lighting facilities for nighttime security illumination. Light fixtures will be wall and pole mounted. The proposed perimeter landscaping throughout the site plan and along the Little Morongo Road and 15th Avenue frontage will help enhance the visual character of the streetscape in a manner that is compatible with the local desert environment. The Project's final site design, architecture and landscape architecture will be subject to review and approval by the City of Desert Hot Springs to ensure that aesthetic considerations of the community are addressed in the proposed design. Less than significant impacts are expected.

Mitigation Measures: None



	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
--	--------------------------------	--	------------------------------	-----------

- | | | | | |
|---|--------------------------|--------------------------|-------------------------------------|--------------------------|
| d) Create a new source of substantial light or glare which would adversely affect day or nighttime views in the area? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
|---|--------------------------|--------------------------|-------------------------------------|--------------------------|

Discussion:

The Project property is presently undeveloped; therefore, there are no existing sources of glare or light on-site. Undeveloped land to the north, east, south, and west also does not constitute an existing source of light or glare due to the lack of development. Day-time glare and night-time lighting can be attributed to vehicular traffic along Little Morongo Road. Vehicular traffic is limited along 15th Avenue due to the lack of road improvements.

The construction materials and finishes of the proposed building include tilt-up concrete with light-colored exterior plaster, metal ribbed siding, and a pre-engineered pitch rooftop with a translucent glazing for purposes of the greenhouse function. These materials are expected to have partial solar reflectivity and none are expected to have highly reflective properties, such that would result in substantial glare. The proposed fenced perimeter and landscaping design with trees, palms, and other plantings are expected to help attenuate the partial sunlight reflectivity associated with the proposed building materials.

Furthermore, the Project would incorporate outdoor illumination for nighttime safety and facility security, thus addressing the site security requirements established in Municipal Code Chapter 5.50. The proposed lighting will be wall and pole mounted to maintain parking lot and interior drive aisle safety. The Project's new source of lighting will be required to conform to the City's Outdoor Lighting Standards, which are established to preserve low ambient lighting levels while maintaining security considerations.

Specifically, the proposed nighttime illumination will be implemented in accordance with a Project-specific lighting plan, thus subject to review and approval by the City of Desert Hot Springs to ensure consistency with the Municipal Code. The lighting plan will be required to identify exterior lighting that is energy-efficient and shielded or recessed so that direct glare and reflections are contained within the boundaries of the Project property. The light fixtures would be directed downward and away from adjoining properties and the public right-of-way. The proposed lighting shall provide face recognition at 100 feet and satisfy the review and considerations raised by the Planning and/or Police Departments. Less than significant impacts are expected.

Mitigation Measures: None



Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
---	---	---	----------------------

II. AGRICULTURE RESOURCES – Would the Project:

- a) Convert Prime Farmland, Unique Farmland, or Farmland of Statewide Importance (Farmland), as shown on the maps prepared pursuant to the Farmland Mapping and Monitoring Program of the California Resources Agency, to non-agricultural use?

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
--------------------------	--------------------------	--------------------------	-------------------------------------

Discussion:

The proposed Project will not disturb or convert any designated farmland or other form of agricultural resource. According to the 2012 California Farmland Mapping and Monitoring Program the property is designated as "Other Land".

A large portion of the City of Desert Hot Springs is designated as Other Land, which is land not included in any other mapping category. Common examples include low density rural development, brush, timber, wetland and riparian areas not suitable for livestock grazing, confined livestock, poultry or aquaculture facilities, strip mines, borrow pits and water bodies smaller than 40 acres. Vacant and nonagricultural land surrounded by urban development and greater than 40 acres is mapped as other land.

The subject site and surrounding land to the north, east, south and west is not categorized as Prime Farmland, Unique Farmland, or Farmland of local statewide importance, no impacts are expected.

Mitigation Measures: None

- b) Conflict with existing zoning for agricultural use, or a Williamson Act contract?

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
--------------------------	--------------------------	--------------------------	-------------------------------------

Discussion:

The Project site is not located in an existing zoning for agricultural use or classified as farm land. According to the Williamson Act Program 2014 Status Report, no portion of land within a one-mile radius is recognized as being under a Williamson Act Contract. The proposed Project will not impact or remove land from the City or County's agricultural zoning or agricultural preserve. No impacts are expected.

Mitigation Measures: None



	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
--	--------------------------------	--	------------------------------	-----------

- c) Conflict with existing zoning for, or cause rezoning of, forest land (as defined in Public Resources Code section 12220 (g)), timberland (as defined by Public Resources Code section 4526), or timberland zoned Timberland Production (as defined by Government Code section 51104(g))?

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
--------------------------	--------------------------	--------------------------	-------------------------------------

Discussion:

The proposed Project will occur in an existing urban desert setting zoned for industrial uses. No forest land, timberland or Timberland Production zoning occurs on the Project site or in the surrounding area because forest vegetation is not characteristic of the Coachella Valley desert environment. No impacts are anticipated.

Mitigation Measures: None

- d) Result in the loss of forest land or conversion of forest land to non-forest use?

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
--------------------------	--------------------------	--------------------------	-------------------------------------

Discussion:

The proposed Project will occur in an existing urban desert setting. No forest land occurs on the Project site or in the surrounding area because forest vegetation is not characteristic of the Coachella Valley desert environment. No impacts are expected.

Mitigation Measures: None

- e) Involve other changes in the existing environment which, due to their location or nature, could result in conversion of Farmland, to non-agricultural use or Conversion of forest land to non-forest land?

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
--------------------------	--------------------------	--------------------------	-------------------------------------

Discussion:

As previously described, the Project site and vicinity are designated by the Desert Hot Springs General Plan and Zoning map as Light Industrial (I-L). The proposed indoor cultivation facilities will not result in conversion of any farmland or forest land because no farmland or forest land is situated within or adjacent to the Project. No impacts are anticipated.

Mitigation Measures: None



Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
--------------------------------------	---	------------------------------------	--------------

III. AIR QUALITY: Where available, the significance criteria established by the applicable air quality management or air pollution control district may be relied upon to make the following determinations.

Would the Project:

- a) Conflict with or obstruct implementation of the applicable air quality plan?

Discussion:

The Project is located in the Coachella Valley region within the Salton Sea Air Basin (SSAB), under the jurisdiction of the South Coast Air Quality Management District (SCAQMD). Air quality in the SSAB is influenced by the regional climate as well as the temperature, wind, humidity, precipitation, and amount of sunshine. The Coachella Valley is an arid desert region with a climate characterized by low annual precipitation, low humidity, hot days, and very cool nights. Wind direction and speed (which in turn affect atmospheric stability) are the most important climate elements affecting local ambient air quality. The prevailing wind direction in the Project vicinity is predominantly from the northwest. Desert regions are typically windy because minimal friction is generated between the moving air and the low, sparse vegetation. This allows the wind to maintain its speed crossing the desert plains. Additionally, the rapid daytime heating of the air closest to the desert surface leads to convective activity and the exchange of surface air for upper air, which accelerates surface winds during the warm part of the day.

Projects are evaluated for consistency with the local air quality management plans, which links local planning and individual Projects to the regional plans developed to meet the ambient air quality standards. The assessment takes into consideration whether a Project forms part of the planned conditions identified in local plans (General Plan Land Use and Zoning) and whether the Project adheres to the City’s air quality goals and policies to determine whether a Project was included in the local development assumptions that formed part of the regional Air Quality Management Plan. As previously discussed, the undeveloped Project property has a Light Industrial General Plan and Zoning designation, which has been established to permit the development of business parks and industrial uses. In its current condition, the undeveloped Project site is surrounded by vacant land and is not located within close proximity of existing residential uses or other densely populated areas of the City or County.

Since the Project is located within an industrial district in the City, it is considered consistent with the permitted locations established under Municipal Code Chapter 17.180. Medical marijuana cultivation facilities (involving the cultivation of more than 99 mature flowering plants) may be located in any Industrial District in the City, upon issuance of a conditional use permit, and a regulatory permit. Consistent with the existing land use standards, the proposed medical marijuana cultivation shall only be conducted in the interior of enclosed structures, facilities and buildings. All cultivation operations and all marijuana plants at any stage of growth shall not be visible from the exterior of any structure, facility or building containing the cultivation of medical marijuana. The proposed cultivation facility will be compatible with the existing land use designation and development standards on and around the property and is not expected to conflict with the General Plan buildout conditions or obstruct with implementation of its applicable air quality objectives.



Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
---	---	---	----------------------

The Final 2007 and 2012 Air Quality Management Plans (AQMP) serves as policy guides for decision-making related to air quality throughout the region. The most recent plan provides strategies for controlling air pollution, maintenance and attainment in order to achieve state and federal attainment levels. The Project will not require a General Plan Amendment or other revision that would provide directly or indirectly for increased population growth above the level projected in the adopted AQMP. The Project will not interfere with the ability of the region to comply with federal and state ambient air quality standards. Projects that are consistent with local General Plans are considered consistent with the air quality related regional plans including the current AQMP, the PM10 CVSIP and other applicable regional plans. The proposed Project is a permitted use in the existing zone and shall comply with the corresponding development standards. Development is consistent with the growth projections in the City of Desert Hot Springs General Plan and is considered to be consistent with the AQMP.

The Project would not result in or cause violations to the National Ambient Air Quality Standards or California Ambient Air Quality Standards. The Project’s proposed land use designation for the subject site does not materially affect the uses allowed or their development intensities as reflected in the adopted City General Plan. The Project is therefore considered to be consistent with the AQMP and impacts related to air quality plans are expected to be less than significant following implementation of standard conditions within the plan and including but not limited to:

- Development of the proposed Project will comply with the provisions of Chapter 8.20 Fugitive Dust Control of the City of Desert Hot Springs, which includes implementation of Coachella Valley best available control measures as identified in the Coachella Valley Fugitive Dust Control Handbook.
- A Fugitive Dust Control Plan will be prepared for the Project outlining required control measures throughout all stages of construction.

Less than significant impacts are anticipated relative to conflict with or obstruction of implementation of the applicable air quality plan following the implementation of standard conditions.

Mitigation Measures: None

- b) Violate any air quality standard or contribute substantially to an existing or projected air quality violation?

Discussion:

To assist lead agencies in determining the significance of air quality impacts, SCAQMD has established suggested short-term construction-related and long-term operational impact significance thresholds for direct and indirect impacts on air quality. Significance thresholds are recommended therein for both local and regional air quality impacts associated with short-term Project construction and long-term operations.

As shown in Table III-1, the SCAQMD has established construction and operational mass daily significance thresholds, which are recommended for use by lead agencies in considering potential



**Potentially
Significant
Impact**

**Less Than
Significant with
Mitigation
Incorporated**

**Less Than
Significant
Impact**

**No
Impact**

impacts on air quality. Project effects would be considered significant if the emissions exceed these thresholds. Project effects would also be considered potentially significant if emissions affected sensitive receptors such as schools or nursing homes, or if the Project conflicted with the regional AQMP and/or local air quality plans.

**Table III-1
SCAQMD's Air Quality Significance Thresholds**

Emission Source	CO	VOC	NOx	SOx	PM10	PM2.5
Construction or Operation	550	75	100	150	150	55

Source: Air Quality Analysis Guidance Handbook, Chapter 5.

Prepared by the South Coast Air Quality Management District. www.aqmd.gov/ceqa/hndbk.html

The California Emissions Estimator Model (CalEEMod Version 2016.3.1; Released in September of 2016) was utilized to estimate the short-term construction-related emissions of criteria air pollutants and greenhouse gas emissions that would be associated with the construction activities necessary to implement the proposed Project.

The Project parameters involved general light industrial facilities with a total building area of up to 29,193 square feet and 20,473 square feet of proposed access roads, hardscape and parking lot surfaces on a gross property area of 1.23 acres. Current information known about the building methods anticipates that the structure will include some pre-finished construction materials, such as tilt-up concrete panels, metal ribbed siding, and pre-engineered greenhouse structure components with obscure polycarbonate greenhouse glazing. These factors were incorporated into the CalEEMod parameters. Default construction parameters incorporated in CalEEMod were assumed for those construction activities for which site-specific information is not currently available.

Table III-2 summarizes the unmitigated short-term emissions of the six criteria pollutants associated with the construction activities required to implement the proposed Project. The construction period includes all aspects of Project development, including site preparation, grading, building construction, paving and architectural coating. Peak day emissions estimates are provided by construction phase type and reflect activities in the season or year with the highest daily emissions. As shown, the unmitigated peak day air pollutant emissions during the construction phase with the highest daily emissions are not projected to exceed any of the significance thresholds for short-term construction-related emissions recommended by the SCAQMD. Based upon the projected emissions of the criteria air pollutants, the proposed Project would have less than significant impacts relative to short-term impacts to air quality.

The SCAQMD requires any emission reductions resulting from existing rules or ordinances to be included as part of the unmitigated Project emissions. Those measures that are legally mandated and therefore required of all developments by applicable ordinances, rules, and regulations are not considered mitigation. Once the unmitigated Project emissions have been determined, additional mitigation measures may be applied to reduce any potentially significant air quality impacts to the maximum extent feasible and identify the net Project emissions. Chapter 15.84 in the City of Desert Hot



Potentially Significant Impact

Less Than Significant with Mitigation Incorporated

Less Than Significant Impact

No Impact

Springs Municipal Code outlines the minimum requirements for construction activities to reduce man-made fugitive dust and corresponding PM10 emissions. The City will require the preparation of a Fugitive Dust Control Plan identifying the fugitive dust sources at the site and the work practices and control measures proposed to meet the City of Desert Hot Springs minimum performance. These standards are consistent with SCAQMD Rule 403 and 403.1 and require implementation of Coachella Valley Best Available Control Measures (CVBACM), as identified in the SCAQMD publication Coachella Valley Fugitive Dust Control Handbook. Fugitive dust control measures that are required to comply with the City Municipal Code are generally not considered mitigation by the SCAQMD. Similarly, compliance with applicable SCAQMD Rules and Regulations is not considered mitigation by the SCAQMD.

**Table III-2
Air Pollutant Emissions
Associated With Construction of the Proposed Project
(Pounds/Day)**

	ROG	NOx	CO	SO2	PM10	PM2.5
Total Emissions	41.8112 (Summer)	22.2533 (Winter)	15.9372 (Summer)	0.0260 (Summer)	82.1267 (Winter)	9.2988 (Winter)
SCAQMD Threshold	75	100	550	150	150	55
Threshold Exceeded	No	No	No	No	No	No

**Table III-3
Operational Air Pollutant Emissions
Associated With Development of the Project
(Pounds/Day)**

Emission Source	ROG	NOx	CO	SO2	PM10	PM2.5
Total Area Sources, Energy Use, Mobile Sources	1.5366 (Summer)	5.7204 (Winter)	8.9234 (Summer)	0.0262 (Summer)	1.4221 (Winter)	0.4146 (Winter)
SCAQMD Threshold	75	100	550	150	150	55
Threshold Exceeded	No	No	No	No	No	No

Furthermore, CalEEMod was utilized to estimate the long-term operational air pollutant emissions that would result from implementation of the proposed Project. Operational emissions are ongoing emissions that will occur during the life of the Project. They include area source emissions, emissions from energy demand, and mobile source (vehicle) emissions. As shown in Table III-3, the Project-related emissions of criteria pollutants are not projected to exceed any of the SCAQMD recommended significance threshold criteria for operational impacts. Consequently, the Project would not contribute substantially to a significant individual or cumulative impact on existing or projected exceedances of the state or federal ambient air quality standards or result in a cumulatively considerable net increase in the



Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
--------------------------------------	---	------------------------------------	--------------

emissions of any criteria pollutant for which the Project region is designated nonattainment. Less than significant impacts are anticipated.

Mitigation Measures: None

- c) Result in a cumulatively considerable net increase of any criteria pollutant for which the Project region is non-attainment under an applicable federal or state ambient air quality standard (including releasing emissions which exceed quantitative thresholds for ozone precursors)?

<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
--------------------------	--------------------------	-------------------------------------	--------------------------

Discussion:

The Coachella Valley is designated by the California Air Resources Board as nonattainment for ozone, based on exceedances of both the state 1-hour and 8-hour standards; and for PM10, based on exceedances of the state 24-hour and annual average standards. Adherence to the SCAQMD rules and regulations involves compliance with locally adopted AQMP and PM10 State Implementation Plan control measures to reduce the pollutant burden contributed by the individual development projects. As such, appropriate air quality measures are required by the City of Desert Hot Springs and implemented through enforcement of the *Desert Hot Springs Municipal Code (Chapter 15.84)*, which is consistent with SCAQMD Rules 403 and 403.1 that apply to the Coachella Valley strategy for reducing fugitive dust emissions.

As mentioned, relative to PM10 threshold exceedance, construction associated with a future Project will be required to adhere to the City’s Fugitive Dust and Erosion Control policies and ordinance to minimize potential temporary construction related emissions. An approved Fugitive Dust (PM10) Control Plan will be required prior to issuance of a grading permit. Implementation of the Fugitive Dust Control Plan is required to occur under the supervision of an individual with training on Dust Control in the Coachella Valley (Rule 403 and 403.1). The plan will include methods to prevent sediment track-out onto public roads, prevent visible dust emissions from exceeding a 20-percent opacity, and prevent visible dust emissions from extending more than 100 feet (vertically or horizontally from the origin of a source) or crossing any property line. The most widely used measures include proper construction phasing, proper maintenance/cleaning of construction equipment, soil stabilization, installation of track-out prevention devices, and wind fencing.

Project-related construction emissions are not expected to exceed the SCAQMD mass daily regional significance thresholds. Therefore, the Project will not result in a cumulatively considerable net increase of NOx and ROG emissions during construction activities. Since Project-related emissions would be consistent with the *Air Quality Management Plan*, the *Coachella Valley PM10 SIP*, and all SCAQMD Air Quality Significance Thresholds, long-term operational air quality impacts associated with the Project should not be considered cumulatively considerable. The proposed Project is expected to emit criteria pollutants, including ozone precursors, in a region designated nonattainment of the national 8-hour ozone standards. However, as shown in Tables III-2 and III-3, the Project-related emissions are not expected to exceed the applicable SCAQMD quantitative significance thresholds for short-term construction-related or long-term operational emissions. Less than significant impacts are anticipated.



	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
--	--------------------------------	--	------------------------------	-----------

Mitigation Measures: None

- | | | | | |
|--|--------------------------|--------------------------|-------------------------------------|--------------------------|
| d) Expose sensitive receptors to substantial pollutant concentrations? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
|--|--------------------------|--------------------------|-------------------------------------|--------------------------|

Discussion:

A sensitive receptor is a person in the population who is particularly susceptible (i.e. more susceptible than the population at large) to health effects due to exposure to an air contaminant. Sensitive receptors and the facilities that house them are of particular concern if they are located in close proximity to localized sources of carbon monoxide, toxic air contaminants, or odors. Land uses considered by the SCAQMD to be sensitive receptors include residences, long-term health care facilities, schools, rehabilitation centers, playgrounds, convalescent centers, childcare centers, retirement homes, and athletic facilities. Residential areas are considered sensitive receptors because residents tend to be at home for extended periods of time and may include children and the elderly. The undeveloped Project site and its local surroundings do not include existing sensitive receptors. As previously discussed, the undeveloped Project property has a Light Industrial General Plan and Zoning designation by the City, surrounded in all directions by vacant land and roads. The nearest residential structures to the Project within the City of Desert Hot Springs are located approximately 7,980 feet to the southeast. Existing residential dwelling units outside of the City boundaries (unincorporated) are found approximately 4,850 feet to the northwest.

During construction, the Project is expected to produce temporary and localized emissions, which based on the Air Quality Study's modeling results would not exceed the SCAQMD mass thresholds of significance. Implementation of the required SCAQMD rules, best available dust control measures and the City's Fugitive Dust Control and Erosion Control policies will minimize those temporary impacts, preventing pollutants emissions from reaching any substantial concentrations. Examples of best available dust control measures include constructing a temporary fence with a wind screen to prevent propagation of dust emissions, utilizing properly maintained equipment, maintaining stabilized soil, and constructing track-out prevention devices at construction access points. These standard practices are consistent with the SCAQMD Rule 403 and 403.1 and the Coachella Valley Best Available Control Measures (CVBACM), as identified in the SCAQMD publication Coachella Valley Fugitive Dust Control Handbook. Fugitive dust control measures that are required to comply with the City Municipal Code are generally not considered mitigation by the SCAQMD. During the life of the Project, activities and operations related to the proposed facilities are not expected to generate emissions concentrations that exceed the SCAQMD mass thresholds. Less than significant impacts are anticipated.

Mitigation Measures: None

- | | | | | |
|---|--------------------------|--------------------------|-------------------------------------|--------------------------|
| e) Create objectionable odors affecting a substantial number of people? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
|---|--------------------------|--------------------------|-------------------------------------|--------------------------|

Discussion:

Objectionable odors can be associated with toxic or non-toxic emissions. Offensive odors seldom cause physical harm, but they can be unpleasant and lead to considerable annoyance and distress among the public. The SCAQMD has compiled a list of facilities and operations that tend to produce



Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
---	---	---	----------------------

offensive odors. Examples of such facilities that commonly generate odors include wastewater treatment plants, sanitary landfills, composting/green waste facilities, recycling facilities, petroleum refineries, chemical manufacturing plants, painting/coating operations, rendering plants, and food packaging facilities.

Moreover, certain facilities, land uses and populations are considered more likely to experience concern over odors. As previously discussed, sensitive receptors include residences, long-term health care facilities, schools, rehabilitation centers, playgrounds, convalescent centers, childcare centers, retirement homes, and athletic facilities. Coordination with the SCAQMD is recommended for Projects that would locate sensitive receptors within one-quarter mile of a new or existing land use that emits toxic air contaminants, objectionable odors, or is the site of CO hot spots. Residential areas are considered sensitive receptors because residents can include children and the elderly.

As previously described, the vacant Project property is situated within an industrial district of the City with limited development. The Project property is surrounded by undeveloped land and is not located near existing or planned residences, retirement homes, schools, playgrounds, child-care centers or athletic facilities.

Operations involved with the proposed Project can generate natural odors associated with plant blossoms. As mandated by Municipal Code Chapter 5.50 and 17.180, all medical marijuana cultivation activities are only allowed in the interior of enclosed structures, facilities, and buildings. Cultivation operations are not allowed to be visible from the exterior. To comply with the conditional use permit requirements, the Project operator must provide the necessary odor control, ventilation and filtration systems for the cultivation and office areas of the structures sufficient to ensure that City requirements for odor control are met.

The ventilation system may include an activated carbon filtration, negative ion generation, ozone generators, and masking agents. These systems together would effectively control any objectionable odors produced in the facility interiors. As a result, the Project is expected to result in minimal exterior plant odors and is not identified on the SCAQMD list as common sources of odor emissions. No operation or activity on-site shall cause the emission of any smoke, fly ash, dust, fumes, vapors, gases, odors, or other forms of air pollution, which exceed levels identified as acceptable by the SCAQMD or the City of Desert Hot Springs. Less than significant impacts related to objectionable odors are anticipated.

Mitigation Measures: None



Potentially Significant Impact

Less Than Significant with Mitigation Incorporated

Less Than Significant Impact

No Impact

IV. BIOLOGICAL RESOURCES -- Would the Project:

a) Have a substantial adverse effect, either directly or through habitat modifications, on any species identified as a candidate, sensitive, or special status species in local or regional plans, policies, or regulations, or by the California Department of Fish and Game or U.S. Fish and Wildlife Service?

Discussion:

In October 2016, James W. Cornett Ecological Consultants conducted Project-specific *General and Focused Biological Resources Assessments*. The assessment area covered the entire 1.23 acre site and extended approximately 100 yards beyond all parcel boundaries. The biological survey and analyses were designed to ascertain the impacts of proposed development on the potential biological resources of the Project site and immediate vicinity, as mandated by CEQA and required by the City of Desert Hot Springs.

The specific objectives of the biological survey are listed below:

- Determine the vascular plant and vertebrate animal species that occur on, and immediately adjacent to, the Project site.
- Ascertain the presence of plant or animal species given special status by government agencies, with an emphasis on sensitive species or communities not covered under the Coachella Valley Multiple Species Habitat Conservation Plan (CVMSHCP).
- Ascertain the existence of other significant biotic elements, corridors or communities.
- Consider the site location as it relates to Conservation Areas as designated in the CVMSHCP.
- If necessary and where appropriate, recommend measures to mitigate significant adverse impacts of the Project on any non-Plan-covered sensitive species and habitats determined to occur within the Project boundaries.

Survey methodology included literature review to determine resources that are known to exist within the general area and to determine the possible occurrence of sensitive species. The review included a search in the California Natural Diversity Database (updated October, 2016). Field surveys were initiated in September of 2016. Daytime field surveys were conducted on September 13, 14, 15 and the following week of September 19, 20, and 21, 2016. Night surveys were conducted on September 14 and 15, 2016. Animal surveys were conducted simultaneously with plant surveys. In addition, twenty live-animal traps (which capture animals unharmed) for large and small mammals were set within the Project site for twenty-four hour periods on September 14 and 15, 2016. Invertebrate sampling was conducted on the evenings of September 14 and 15, 2016. Three Bioquip Light Traps were used for



Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
---	---	---	----------------------

attracting and live-capturing flying insects and some terrestrial arthropods. Black lights were the attracting mechanism with each trap powered by a 12-volt automobile battery. Traps were placed for maximum visibility.

Surveys were conducted by walking east-west transects at 10-yard intervals through the Project site and 100 yards beyond the project boundary except where fences delineated private property. The survey techniques used during this assessment have been approved by the U.S. Fish and Wildlife Service for determining the presence or absence of the burrowing owl and desert tortoise and represents an intensive survey effort that resulted in no officially listed or federally protected species being overlooked.

The elevation of the Project site is approximately 960 feet above sea level. The only natural topographical relief consists of sand hummocks that rise from one to two feet above their base. The Mission Creek Interim Channel is west of project and approximately 28 feet from the project site. A meandering wash as identified by USGS is approximately 183 feet from the project site. The Project specific biological assessment indicates that no blue-line stream (streams or dry washes) were observed in or near the Project site, or observed on the U.S. Geological Topographical Survey Map (USGS). The biological survey found that the Project site is associated with one plant community: the Sonoran creosote bush scrub, which is the pervasive plant community throughout the Coachella Valley and Colorado Desert of southeastern California. Based on these factors, the biological report states that there should be no need to obtain streambed alteration permits from state or federal agencies, and no habitat evaluation or state or federal streambed alteration permits are required.

Soil characteristics are uniform over the entire site. Surface soil is composed of windblown alluvium created by persistent winds from the west. This process increased in intensity with the drying out of the Coachella Valley at the close of the Pleistocene epoch ending 10,000 years before present. Minor surface and extensive subsurface soils consist of comparatively coarse sand with some gravel indicating periods of surface water flow in prehistoric time. The presence of widely scattered boulders also indicates past surface flows. The presence of sparse and widely scattered boulders also indicates past surface flows. Undisturbed desert scrub habitat surrounds the project site, Little Morongo Road forms the western boundary of the site and a graded and unpaved road forms the southern boundary of the site.

The site appears to be suitable habitat for the Coachella Valley Milk Vetch, Coachella Valley Jerusalem cricket and the Coachella Valley giant sand-treader cricket, even though none of these species were detected. The Palm Springs ground squirrel is considered a Species of Special Concern and was observed within the project site boundaries. Each of these organisms is covered under the CVMSHCP and mitigation is provided under the plan through the payment of fees.

No evidence was recorded of breeding migratory birds, including the western burrowing owl, a protected species and one not functionally covered under the Plan. The site is considered suitable habitat for the owl and owls might take up residence on site at any time. Based upon the recommendation of the California Department of Fish & Wildlife, a focused burrowing owl survey should



Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
--------------------------------------	---	------------------------------------	--------------

be conducted not more than 30 days prior to site disturbance. The burrowing owl is protected in the United States by the Migratory Bird Treaty Act of 1918.

The Project does not lie within a Conservation Area of the (CVMSHCP). Additionally, the site is not located immediately adjacent to a Conservation Area of the plan and is therefore, not subject to Plan requirements regarding lands adjoining Conservation Areas. The Project is required as a standard condition to comply with and pay the relevant CVMHSCP development impact fee.

The study’s findings conclude that no significant adverse impacts to biological resources in the region are expected to result from Project implementation. Therefore, the Project would not have a substantial adverse impact on candidate, sensitive or special status species in local or regional plans, policies, or regulations, or by the California Department of Fish and Wildlife (CDFW) or U.S. Fish and Wildlife Service (USFWS).

The biological report recommends two mitigation measures: 1) contact Coachella Valley Association of Governments (CVAG) to determine the precise mitigation fee applicable under the CVMSHCP, and 2) Conduct a burrowing owl clearance survey not more than 30 days prior to site disturbance. This form of mitigation is itemized as BR-1 and BR-2 in this section of the Initial Study.

Less than significant impacts are expected to species identified as a candidate, sensitive, or special status species in local or regional plans, policies, or regulations, or by the California Department of Fish and Game or the U.S. Fish and Wildlife Service, following the recommended mitigation listed below:

Mitigation Measures:

BR-1: The Project proponent shall ensure that the applicable MSHCP Local Development Mitigation Fee is paid to the City. The time of payment must comply with the City’s Municipal Code (Chapter 3.40).

BR-2: The Project proponent shall ensure that burrowing owl clearance survey is performed not more than 30 days prior to Project site disturbance (grubbing, grading, and construction). If any owls are identified, the most current protocol established by the California Department of Fish and Wildlife (Burrowing Owl Mitigation) must be followed.

- b) Have a substantial adverse effect on any riparian habitat or other sensitive natural community identified in local or regional plans, policies, regulations or by the California Department of Fish and Wildlife or U.S. Fish and Wildlife Service?

Discussion:

The biological survey performed on the Project property did not find any on-site naturally occurring springs, permanent aquatic habitats, drainages or other sensitive natural community identified in local or regional plans, policies, and regulations or by the California Department of Fish and Wildlife or the U.S. Fish and Wildlife Service. The Mission Creek Interim Channel is west of project and approximately



Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
---	---	---	----------------------

28 feet from the project site. A meandering wash as identified by USGS is approximately 183 feet from the project site. No blue-line stream corridors or desert washes were found within the Project boundaries.

Because the Project would disturb more than one acre, temporary construction activities associated with these improvements would be subject to National Pollutant Discharge Elimination System (NPDES) requirements to ensure that required construction site best management practices are implemented to reduce off-site impacts. The Project applicant will also be required to develop and implement a Project-Specific Water Quality Management Plan (WQMP) to comply with the most current standards of the Whitewater River Region Water Quality Management Plan for Urban Runoff and the Whitewater River Watershed MS4 Permit. The plan will be reviewed and approved by the City.

The Project-Specific WQMP involves a detailed strategy of site design, source controls, treatment controls and on-going maintenance measures to address post-construction runoff quality and quantity. Such compliance and implementation protects the receiving waters and avoids Project violations to the established water quality standards and waste discharge requirements. The quality and quantity of runoff generated by the Project will be required to be controlled, preventing impacts to any downstream resources. This topic is further discussed within the Hydrology and Water Quality Section of this document. As a result of the absence of significant wash or riparian vegetation, absence of sensitive plant species and absence of sensitive animal species, less than significant impacts to desert wash or riparian habitats are expected.

Mitigation Measures: None

- c) Have a substantial adverse effect on federally protected wetlands as defined by Section 404 of the Clean Water Act (including, but not limited to, marsh, vernal pool, coastal, etc.) through direct removal, filling, hydrological interruption, or other means?

Discussion:

According to the Project specific Biological Resource Assessment, the Project site does not contain federally protected wetlands, marshes or other drainage features. The National Wetlands Inventory from the USFWS, indicated that there are no wetlands or riparian resources on the Project property. Furthermore, the Biological Resources Assessments did not identify naturally occurring springs or permanent aquatic habitats in or near the Project site boundaries. The Mission Creek Interim Channel is west of the project and approximately 28 feet from the project site. A meandering wash as identified by USGS is approximately 183 feet from the project site. No blue-line stream corridors (streams or dry washes) are shown on U.S. Geological Survey maps for the Project site nor are there botanical indicators of such corridors.

As a result, implementation of the Project would not result in the direct removal, filling or other hydrological interruption to any of these resources. The proposed on-site storm drain improvements



Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
--------------------------------------	---	------------------------------------	--------------

shall include facilities to prevent the direct discharge and hydro-modification impacts of runoff to any adjacent land uses including the Conservation area. A Project Specific Water Quality Management Plan (WQMP) is expected to be prepared to ensure that the Project does not contribute pollutants of concern in any Project storm runoff. Less than significant impacts are expected.

Mitigation Measures: None

- d) Interfere substantially with the movement of any native resident or migratory fish or wildlife species or with established native resident or migratory wildlife corridors, or impede the use of native wildlife nursery sites?

Discussion:

Per the Project Biological Resources Assessment, no evidence of migratory wildlife corridors or native wildlife nursery sites exist on the Project site or adjacent properties. The Coachella Valley region contains potential habitat for the burrowing owl, which is protected in the United States by the Migratory Bird Treaty Act of 1918. The Migratory Bird Act prohibits harming the owl and therefore, mitigation that is approved by the USFWS is generally required. At present time the USFWS approves of the form of mitigation provided in the "Staff Report on Burrowing Owl Mitigation" prepared by the CDFW.

The Biological Assessments performed at the Project site included surveys approved by the USFWS for determining the presence or absence of the burrowing owl. The surveys revealed no evidence of the western burrowing owl. However, the site conditions are considered suitable habitat for the owl. Based upon the recommendation of the CDFW, a focused burrowing owl clearance survey should be conducted not more than 30 days prior to site disturbance (grubbing, grading, and construction). This measure is specified in Mitigation Measure BR-2 of this Initial Study. Less than significant impacts are expected to the movement of any native resident or migratory fish or wildlife species or with established native resident or migratory wildlife corridors, provided that the procedures established in Mitigation Measure BR-2 of this Initial Study are implemented pertaining to the burrowing owl.

Mitigation Measures: See BR-2

- e) Conflict with any local policies or ordinances protecting biological resources, such as a tree preservation policy or ordinance?

Discussion:

The Project property is presently vacant with scattered vegetation. Project implementation would not result in demolition or tree removal. The proposed site plan provides landscaping improvements along the Project edges in a manner consistent with the local development standards. The Project will comply with the CVMSHCP and there are no other unique local policies or ordinances protecting biological resources that would cause a conflict nor does the site support high value biological resources that could be affected. There are no applicable tree preservation policies or ordinances and no impacts are



Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
---	---	---	----------------------

expected.

Mitigation Measures: None

- | | | | | |
|--|--------------------------|-------------------------------------|--------------------------|--------------------------|
| f) Conflict with the provisions of an adopted Habitat Conservation Plan, Natural Community Conservation Plan, or other approved local, regional, or state habitat conservation plan? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
|--|--------------------------|-------------------------------------|--------------------------|--------------------------|

Discussion:

The Project lies within the boundary of the CVMSHCP, which outlines policies for conservation of habitats and natural communities. However, the project is not located within or adjacent to a designated Conservation Area under this plan. Therefore, is not subject to CVMSHCP requirements regarding lands adjoining conservation Areas.

The CVMSHCP implements a habitat mitigation fee from all new development to support the acquisition of conservation lands. The fee would be applied per Chapter 3.40 of the Desert Hot Springs Municipal Code (Coachella Valley Multiple Species Habitat Conservation Plan/Natural Community Conservation Plan Mitigation Fees). Based on these provisions, the applicable fees would be collected by the City and remitted to the Coachella Valley Conservation Commission (CVCC) at issuance of a certificate of occupancy or upon final inspection of the premises, whichever occurs first. The Project is expected to comply with provisions of the CVMSHCP. The project will comply with the provisions of the CVMSHCP. Less than significant impacts would result from project implementation provided the following Mitigation Measure BR-1 is followed.

Mitigation Measures: See BR-1

V. CULTURAL RESOURCES –Would the Project:

- | | | | | |
|---|--------------------------|--------------------------|--------------------------|-------------------------------------|
| a) Cause a substantial adverse change in the significance of a historical resource as defined in § 15064.5? | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
|---|--------------------------|--------------------------|--------------------------|-------------------------------------|

Discussion:

The Project is located on approximately 1.23 acres of undeveloped land within a partially developed industrial district in the City of Desert Hot Springs. This area of the City is designated as a Light Industrial (I-L) District which supports business parks and the development of industrial uses operating in enclosed buildings. This district is largely segregated from the City’s residential and commercial uses, a condition which is intended to reduce land use incompatibility. Existing industrial establishments in the vicinity are mostly north of the Project site. The Project specific Historical/Archaeological Resources Survey Report prepared by CRM Tech (October 2016) found no evidence of any settlement or land development activities on or near the Project area. The research methods performed by CRM Tech as part of this assessment includes a comprehensive records search, Native American Scoping, consultation with local historical organizations, historical background research and an intensive-level field survey.



Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
---	---	---	----------------------

According to Eastern Information Center (EIC) records, the Project area had not been surveyed for cultural resources studies prior to this study, and no historical/archaeological sites had been recorded on or adjacent to the property. Outside of the Project area but within a one-mile radius, EIC records show more than 30 previous studies covering various tracks of linear features, including Little Morongo Road along the western project boundary and an adjacent property to the south. As a result of these studies, four historical/archaeological sites were previously recorded within the one-mile scope of the records search.

One of the sites was of prehistoric Native American origin, it was described a single mortar on a boulder located nearly a mile northwest of the project area. The other three sites dated to the historic period and included a homestead, a rock alignment, and refuse scatters. None of these previously recorded cultural resources was found in the immediate vicinity of the Project area, and therefore, none of them requires further consideration during this study.

Historical maps consulted for the Project specific study suggest that the Project area is relatively low in sensitivity for cultural resources from the historic period. No evidence of any settlement or development activities was noted within the Project boundaries throughout the 1850s-1950s eras. The forerunner of present-day Little Morongo Road, first noted in the 1940s, was the earliest man-made feature known to be present in the immediate vicinity of the Project area. By the 1950s, it was joined by a series of dirt roads around the project location, including 15th Avenue along a different alignment further to the south. Sometime between 1972 and 1996, 15th Avenue was realigned to its present day curvilinear course along the southern project boundary, and the earliest buildings in the neighborhood evidently also dates to the period. Since then more development has occurred steadily in the northern portion of the neighborhood, but the southern portion, including the project area, has remained undeveloped to the present time.

The field survey results were negative for cultural resources. The entire project area was closely inspected for any evidence of human activities dating to the prehistoric or historic period, but none was found. Scattered modern refuse, including construction debris and household discards, was observed over much of the property, especially along the Little Morongo Road and 15th Avenue right-of-way. However, the cultural report states that none of these items is of any historical/archaeological interest. No buildings, structures, objects, sites, features, or artifacts more than 50 years of age were encountered.

Additionally, Native American input during this study did not identify any sites of traditional cultural value in the vicinity, and historic maps show no notable cultural features within the Project area throughout the historic period.

Therefore, there are no recognizable potential historic resources, as defined in Section 15064.5 of the CEQA Guidelines that would be adversely affected by the proposed Project. This includes any object, building, structure, site, area, place, record, or manuscript which a lead agency determines to be historically significant and no impacts are anticipated.

Mitigation Measures: None



Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
--------------------------------------	---	------------------------------------	--------------

- b) Cause a substantial adverse change in the significance of an archaeological resource pursuant to §15064.5?

Discussion:

Archaeological resources are described as cultural resources, such as structures or objects that provide evidence to past human activity. They are important for scientific, historic, and/or religious reasons to cultures, communities, groups or individuals.

As previously discussed, CRM Tech conducted a Project and site specific study on historical and archaeological resources. The assessment included a records search, Native American scoping, historical background research and an intensive-level field survey. Observations by the investigators during the field survey did not encounter onsite buildings or structures. Outside the Project area but within a one-mile radius, four historical/archaeological sites were previously recorded. One of the four sites was of prehistoric Native American origin. It is described as a single mortar on a boulder located nearly a mile northwest of the project area. The other three sites dated to the historic period and included a homestead, a rock alignment, and refuse scatters. Per the Cultural Report, none these previously recorded cultural resources was found in the immediate vicinity of the project area, and thus none of them requires further consideration during this study.

Furthermore, the Native American Heritage Commission (NAHC) sacred lands record search did not indicate the presence of Native American resources with a half-mile radius of the Project. The NAHC did recommend that additional local Native American groups be contacted for further information. Upon receiving the NAHC’s response, CRM Tech sent written requests for comments to 23 Tribal individuals. Two (2) Tribal representatives contacted, have responded in writing, and both have stated that their respective Tribes has no specific information on any sites of Native American traditional cultural value in the project area. Less than significant impacts are expected following the recommended mitigation measure.

Mitigation Measures:

CR-1: If during the course of grading or construction, artifacts or other cultural resources are discovered, all grading on the site shall be halted and the applicant shall immediately notify the City Planner. A qualified archaeologist shall be called to the site by, and at the cost of, the applicant to identify the resource and recommended mitigation if the resource is culturally significant. The archaeologist will be required to provide copies of any studies or reports to the Eastern Information Center for the State of California located at the University of California Riverside and the Agua Caliente Tribal Historic Preservation Office (THPO) for permanent inclusion in the Agua Caliente Cultural Register.

- c) Directly or indirectly destroy a unique paleontological resource or site or unique geologic feature?

Discussion:

Per the Riverside County Land Information System, the property is recognized for having low potential



Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
---	---	---	----------------------

for Paleontological Sensitivity. Areas recognized for having “low” potential have a reduced likelihood of containing significant non-renewable paleontological resources, including vertebrate or significant invertebrate fossils. Moreover, the site is not recognized as a unique paleontological or a unique geologic feature. However, per industry standards in the region, excavations deeper than 10-15 feet should be monitored by a qualified paleontological monitor. Less than significant impacts are expected to paleontological resources following the recommended mitigation measures.

Mitigation Measures:

CR-2: The applicant shall ensure that any excavations deeper than 10-15 feet shall be monitored by a qualified paleontological monitor. The monitor shall be prepared to quickly salvage fossils as they are unearthed to avoid construction delays, but must have the power to temporarily halt or divert grading equipment to allow for removal of abundant or large specimens. Additionally, the grading plan shall include a note that excavations deeper than 10 feet are planned (if any) and notification of such planned excavations be provided by the grading engineer to the Planning Department.

CR-3: All fossils and associated data recovered during the paleontological monitoring shall be reposted in a public museum or other approved curation facility.

- d) Would the Project cause a substantial adverse change in the significance of a Tribal cultural resource as defined in Public Resource Code 21074?

Discussion:

Public Resource Code 21074 identifies “Tribal Cultural Resources” as “sites, features, places, cultural landscapes, sacred places, and objects with cultural value to a California Native American Tribe” and that are either included or determined to be eligible for inclusion on the national, state, or local register of historic resources, or that are determined by the lead agency, in its discretion, to be significant when taking into consideration the significance of the resource to a California Native American Tribe.

As previously discussed, the NAHC was contacted by CRM TECH as part of their research for the Project and site specific historical and archaeological study. The Native American sacred land research did not indicate the presence of Native American resources with a half-mile radius of the Project site. However, it was recommended that other local Native American groups be contacted for further information. CRM Tech contacted twenty-three (23) local Native American representatives. Two (2) of the Tribal organizations contacted have responded in writing. Based on the correspondence as described in Section V-b), there are no tribal cultural resources as defined by Public Resource Code 21074 on the Project site and less than significant impacts are expected following procedures established in Mitigation Measure CR-2 and CR-3 of this Initial Study are implemented

Mitigation Measures: CR-2 and CR-3

- e) Disturb any human remains, including those interred outside of formal cemeteries?

Discussion:



Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
---	---	---	----------------------

The historical and archaeological reports prepared by CRM TECH for this Project included intensive-level field observations of the entire site. The entire Project area was closely inspected for evidence of human activities dating to prehistoric or historic periods. As discussed previously, no other sites, features, artifacts, or built-environment features of prehistoric or historic age were encountered within the Project area during the field survey.

Pursuant to the California Health and Safety Code Section 7050.5, and the CEQA Guidelines Section 15064.5 require that in the event of discovery or recognition of any human remains in any location other than a dedicated cemetery, there shall be no further excavation or disturbance of the site, or any nearby area reasonably suspected to overlay adjacent remains, until the County Coroner has examined the remains. If the coroner determines the remains to be Native American, or has reason to believe that they are those of Native American, the coroner shall contact by telephone within 24-hours of the Native American Heritage Commission. Pursuant to the mentioned California Health and Safety Code, proper actions shall take place in the event of a discovery or recognition of any human remains during Project construction activities. Less than significant impacts are expected following standard conditions.

Mitigation Measures:

CR-4: In the event that any human remains are discovered, the applicant shall cease all work and contact the Riverside County Coroner’s office and work shall not resume until such time that the site has been cleared by the County Coroner and/or the Desert Hot Springs Police Department. The Applicant shall also be required to consult with the Agua Caliente Tribal Historic Preservation Office (THPO).

VI. GEOLOGY AND SOILS -- Would the Project:

a) Expose people or structures to potential substantial adverse effects, including the risk of loss, injury, or death involving:

i) Rupture of a known earthquake fault, as delineated on the most recent Alquist-Priolo Earthquake Fault Zoning Map issued by the State Geologist for the area or based on other substantial evidence of a known fault?

<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
--------------------------	--------------------------	-------------------------------------	--------------------------

Discussion:

A Preliminary Geotechnical Investigation and Percolation Testing report was prepared for the project by Geocon West, Inc. According to this report, according to current mapping and report materials appear to indicate, the site is not located on any known active, potentially active, or inactive fault traces. The closest active faults to the site are the South Branch of the San Andreas Fault located approximately 1.75 miles south-southwest of the site, and the North Branch of the San Andreas Fault located approximately 2 miles northeast of the site. Additionally, the site does not lie within a State or County Fault Hazard Zone.



Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
---	---	---	----------------------

According to the General Plan Geotechnical Section, during an earthquake ground rupture and ground shaking are the most significant seismic hazards that will impact the Desert Hot Springs planning area. Critical parameters include whether foundations and/or structures straddle the fault, distance between the fault and various portions in the City, the maximum credible earthquake each fault is capable of generating, the intensity of ground shaking expressed as a fraction of the acceleration of gravity (g), and the Modified Mercalli (MM) seismic intensity values that have been calculated for the City. In general, peak ground accelerations and seismic intensity values decrease with increasing distance from the causative fault. However, local site conditions, such as the top of ridges, may amplify the seismic waves generated by an earthquake, resulting in higher accelerations.

Per the General Plan EIR No known active faults traverse the Project site or are found near it. GP EIR EXHIBIT V-1: Faults in the Desert Hot Springs General Plan Area, indicates that the nearest Alquist-Priolo Fault Zone is located approximately 1.75 mile to the southwest and labeled the Banning Fault. Alquist-Priolo Maps are corroborated by the Riverside County Seismic Faults and Fault Zones database and by the Desert Hot Springs EIR Map. The nearest seismic feature to the Project site is the Coachella Valley Segment of the San Andreas Fault Zone. This southwest trending zone (presumably the Zone also mapped in Alquist-Priolo maps) is located approximately 1.75 mile southwest of the site. Surface rupture occurs when movement on a fault deep within the earth breaks through to the surface. The GP EIR indicates that fault ruptures usually follow preexisting faults, which are zones of weakness.

The Project site does not lie within an Alquist-Priolo Earthquake Fault Zone. Surface fault rupture is considered to be unlikely at the Project site because of the well-delineated fault lines through the Coachella Valley as shown on California Department of Mines and Geology (CDMG) maps. Less than significant impacts are expected.

Mitigation Measures: None

ii) Strong seismic ground shaking?

Discussion:

As mentioned in the previous discussion, relative to properties that are not located on faults or within fault study areas, ground shaking is the primary seismic hazard that can be expected. Intensity can be affected based on distance from faults. Strong shaking from an earthquake can result in secondary actions including landslides, ground lurching, structural damage or destruction, and liquefaction (discussed subsequently in this Geotechnical section.)

The proposed facilities will be constructed in a manner that reduces the risk of seismic hazards (Title 24, California Code of Regulations). The Project will be conditioned to comply with the most current seismic design coefficients and ground motion parameters and all applicable provisions of the California Building Code (CBC.) Remedial grading and construction will work to reduce exposure of people or structures to adverse effects to the greatest extent possible against seismic hazards. All grading and construction plans will be reviewed and approved by the City. Additionally the project will be conditioned to comply with the Seismic Design Parameters and recommendations within the Preliminary Geotechnical Investigation.



Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
---	---	---	----------------------

Following compliance with standard conditions relative to geotechnical studies and seismic design requirements, less than significant impacts are expected.

Mitigation Measures: None

iii) Seismic-related ground failure, including liquefaction?

<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
--------------------------	--------------------------	-------------------------------------	--------------------------

Discussion:

The Preliminary Geotechnical Investigation states that Liquefaction is typified by a loss of shear strength in the liquefied layers due to rapid increases in pore water pressure generated by earthquake accelerations. Liquefaction typically occurs in areas where the soils below the water table are composed of poorly consolidated, fine to medium-grained, primarily sandy soil. In addition to the requisite soil conditions, the ground acceleration and duration of the earthquake must also be of a sufficient level to induce liquefaction.

The General Plan Geotechnical Element indicates that liquefaction occurs when loose, unconsolidated, saturated, sandy soils are subjected to ground vibrations during a seismic event they may liquefy; this phenomenon is called liquefaction. This commonly occurs in areas where the ground water table is within 50 feet of the ground surface.

According to the Mission Springs Water District (MSWD) Draft 2010 Urban Water Management Plan, groundwater levels in the Mission Creek Subbasin, in which the Project is located, average 300 feet below the ground surface.

The chance for hazards associated with liquefaction is considered low in the Desert Hot Springs area, principally because of the approximate depth to ground water. The exception includes lands located immediately adjacent to and on the north side of the Banning and Coachella Valley (Mission Creek) Faults, which dike ground water and allow it to rise within 50 feet of the surface. Effects of liquefaction include a loss of bearing strength, ground oscillations, lateral spread and slumping. The Project is located a minimum of 1.75 miles from the nearest of the fault, Banning Fault.

Geocon's Preliminary Geotechnical Investigation indicates that groundwater was found to be in excess of 150 feet below the ground surface. Based on the absence of groundwater and the dense to very dense consistency of the alluvial deposits, it is Geocon's opinion that the potential for liquefaction and associated ground deformations beneath the site is negligible and not a design consideration. Less than significant impacts are expected.

Mitigation Measures: None

iv) Landslides?

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
--------------------------	--------------------------	--------------------------	-------------------------------------

Discussion:

Per the General Plan Geotechnical Element, The Project is not located near an area of Seismically Induced Rock Falls and Landslide Susceptibility. Exhibit V-2 of the Geotechnical Element indicates that the closest area with moderate susceptibility to land sliding is approximately 1.75 miles to the west which is an isolated geological feature referred to as Devers Hill.



Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
--------------------------------------	---	------------------------------------	--------------

The Preliminary Geotechnical Investigation states that there are no slopes on or adjacent to the site. Therefore, landslides are not a design consideration. No impacts are expected relative to landslides.

Mitigation Measures: None

- | | | | | |
|---|--------------------------|--------------------------|-------------------------------------|--------------------------|
| b) Result in substantial soil erosion or the loss of topsoil? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
|---|--------------------------|--------------------------|-------------------------------------|--------------------------|

Discussion:

Remedial grading including over-excavation and re-compaction will be required. Site soils are susceptible to wind and water erosion, standard construction measures to reduce seasonal flooding impacts including waterborne erosion will be incorporated into the site grading plans. These include the onsite retention of 100 percent of the incremental increase of storm water. To address windborne soil erosion, adequate paving, landscape and other means of stabilization will be incorporated into the Project. These plans will be prepared and submitted to the City for approval.

Relative to waterborne erosion, the entire Project and its immediate surroundings are located within a Zone AO designation, subject to inundation by the 100-year (1-percent-annual-chance) flood with a depth of one (1) feet. A majority of the project site is deemed to have an average velocity of 5 feet per second, while a southeast portion is shown to have an average velocity of 4 feet per second.

Offsite run-on to the site shall be collected and conveyed through or around the proposed Project site, along the existing flow direction, without changing the runoff, or impacting any of the adjacent properties through hydro-modification. The worst case scenario increase of the pre- and post-construction runoff shall be adequately contained in the stormwater retention system. All onsite 100-year peak discharges would drain into onsite sub-surface retention via surface and piped flows. Following these design requirements, proposed construction would not alter the FEMA Flood Zone AO sheet flow.

The initial stages of Project construction include grading activities that would alter existing conditions on the property by removing topsoil and vegetation. These temporary impacts during construction will be addressed by the required preparation, approval and implementation of a Project specific Storm Water Pollution Prevention Plan, further discussed in the Hydrology section of this document, as well as a Fugitive Dust (PM10) Control Plan, further discussed in the Air Quality section of this document.

The Project will be conditioned to comply with the recommendations and design criteria in the Project specific Preliminary Geotechnical Investigation. Compliance with adopted procedures for grading and erosion will mitigate impacts associated with grading the site to less than significant with the implementation of the following conditions:

- All future grading shall be performed in accordance with the grading ordinance of the City of Desert Hot Springs.
- The Project contractor shall adhere to the recommendations contained within the Project specific Geotechnical Investigation throughout grading and construction activities.



Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
--------------------------------------	---	------------------------------------	--------------

- A grading plan that outlines measures to contain any run off shall be prepared and submitted to the City for approval.
- The Project proponent shall prepare and implement (throughout all construction activities) a Stormwater Pollution Prevention Plan (SWPPP) and a Fugitive Dust (PM10) Control Plan.

Mitigation Measures: None

- c) Be located on a geologic unit or soil that is unstable, or that would become unstable as a result of the Project, and potentially result in on- or off-site landslide, lateral spreading, subsidence, liquefaction or collapse?

Discussion:

The existing onsite area has an elevation drop of 10 feet, from the northwest to the southeast, at a 2.7% grade.

As discussed previously hazards associated with liquefaction, lateral spread and landslides are not expected.

The Geotechnical Investigation indicates that subsidence occurs when a large portion of land is displaced vertically, usually due to the withdrawal of groundwater, oil, or natural gas. Soils that are particularly susceptible to subsidence include those with high silt or clay content. The site is located north of the geomorphic Coachella Valley which does have a history of subsidence, particularly in the southern Palm Desert, Southern La Quinta, and west central Indio area. No subsidence associated with the regional subsidence has been reported in the Desert Hot Springs area. There appears to be little or no potential for ground subsidence due to withdrawal of fluids or gases at the site.

The GP EIR states that ground subsidence is the gradual settling or sinking of the ground surface with little or no horizontal movement. This phenomenon is usually associated with the extraction of oil, gas or ground water from below the surface, but it may also occur as a result of an earthquake. The 4-meter high scarp on the west side of Devers Hill indicates that uplift has occurred within the Desert Hot Springs Area. Devers Hill is approximately 1.75 miles west of the subject property.

A USGS Scientific Investigations Report 2014-5075 “Land Subsidence, Groundwater Levels and geology in Coachella Valley, California, 1993-2010” indicates the following: While most of the Coachella Valley was relatively stable, land surfaces declined about nine inches to two feet in some areas of Palm Desert, Indian Wells, and La Quinta, between 1995 and 2010. An important recent exception was observed in La Quinta where groundwater levels have stabilized and risen, and the rate of land subsidence substantially decreased after groundwater replenishment systems were installed in 2009. Subsidence is considered a regional problem requiring regional mitigation not specific to the Project vicinity.

According to the GP EIR, soil collapse typically occurs in recently deposited soils that were deposited in an arid or semi-arid environment. The alluvial sediments which comprise much of Desert Hot Springs



Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
---	---	---	----------------------

are prone to collapse, which can result from surface irrigation. Remedial grading including proper preparation and compaction of Project soil will be required and indicated in Project specific grading plans which will be reviewed and approved by the City.

According to the Geotechnical Investigation, hydrocollapse is the tendency of unsaturated soil structure to collapse upon saturation resulting in the overall settlement of the effected soil and overlying foundations or improvements supported thereon. Potentially compressible surficial soil underlying the proposed structures and existing fill is typically removed and compacted during remedial site grading. However, if compressible soil is left in-place, a potential for settlement due to hydrocollapse of the soil exists. The potential for hydrocollapse can be mitigated by remedial grading and the use of stiffer foundation systems.

The Project will be conditioned to comply with the recommendations and Design Criteria within the Project Specific Geotechnical Report required as a Condition of Approval. Less than significant impacts are expected.

Mitigation Measures: None

- d) Be located on expansive soil, as defined in Table 18-1-B of the Uniform Building Code (1994), creating substantial risks to life of the Property?

Discussion:

According to the General Plan Geotechnical Section, expansive soils are those, which include a significant amount of clay and are subject to swelling. Expansive soils can change in volume and can exert significant pressure on loads (such as buildings) that are placed on them. In the General Plan study area, expansive soils are not generally considered a hazard because of the relatively minor amount of clay present in the soils. Where expansive soils may occur is in the Qf3 and Qf4 soils, which generally occur north of the Mission Creek Fault and in the vicinity of Whitewater Hill. The property is approximately 2.0 miles southwest of the Mission Creek Fault and 4.5 miles east of Whitewater Hill.

The Geotechnical Investigation States that based on the soil classifications, the geologic units at the site are anticipated to possess a "very low" expansion potential when placed at the finish grades beneath the proposed structure. If medium to highly expansive soils are encountered, these materials can be exported from the site or selectively graded and placed in the deeper fill areas at least three feet below finished grade elevations in order to allow for the placement of the very low expansion material at the finish pad grade. Less than significant impacts are anticipated.

Mitigation Measures: None



	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
--	--------------------------------	--	------------------------------	-----------

- | | | | | |
|--|--------------------------|--------------------------|-------------------------------------|--------------------------|
| e) Have soils incapable of adequately supporting the use of septic tanks or alternative waste water disposal systems where sewers are not available for the disposal of waste water? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
|--|--------------------------|--------------------------|-------------------------------------|--------------------------|

Discussion:

Mission Springs Water District (MSWD) does not currently provide sewer service in this area. The proposed development will utilize a system of septic tanks and leech lines or seepage pits to dispose of wastewater. Design for the disposal systems shall comply with industry regulations. Less than significant impacts are expected.

Mitigation Measures: None

VII. GREENHOUSE GAS EMISSIONS --Would the Project:

- | | | | | |
|---|--------------------------|--------------------------|-------------------------------------|--------------------------|
| a) Generate greenhouse gas emissions, either directly or indirectly, that may have a significant impact on the environment? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
|---|--------------------------|--------------------------|-------------------------------------|--------------------------|

Discussion:

Greenhouse gas (GHG) is a gaseous compound in the Earth’s atmosphere that is capable of absorbing infrared radiation, thereby trapping and holding heat in the atmosphere. Common greenhouse gases in the earth’s atmosphere include: water vapor, carbon dioxide (CO2), methane (CH4), nitrous oxide (N2O), ozone, and to a lesser extent chlorofluorocarbons. Carbon dioxide is the main GHG thought to contribute to climate change. Carbon dioxide reflects solar radiation back to Earth, thereby trapping solar energy and heat within the lower atmosphere. Human activities (such as burning carbon-based fossil fuels) create water vapor and CO2 as byproducts, thereby impacting levels of GHG in the atmosphere.

To address the long-term adverse impacts associated with global climate change, implementation of *The Governor’s Executive Order S-3-05* would reduce greenhouse has (GHG) emissions in California 80 percent below 1990 levels or 90 percent below current levels by the year 2050. Achieving this objective would contribute to efforts made around the globe to stabilize the global climate by capping GHG concentrations.

With the passage of the California Global Warming Solutions Act of 2006 (Assembly Bill 32) in California, environmental documents for Projects pursuant to CEQA are required to analyze greenhouse gases and assess the potential significance and impacts of GHG emissions. Additionally, in 2013, the City of Desert Hot Springs adopted their Climate Action Plan (CAP) that includes policies that applicable to new development for the reduction of GHGs.

The short-term construction would produce combustion emissions from various sources. related and operational emissions of Co2 equivalent are less than the SCAQMD interim threshold of 10,000



Potentially Significant Impact
 Less Than Significant with Mitigation Incorporated
 Less Than Significant Impact
 No Impact

MT/year for industrial facilities. The proposed cultivation facility will add a new land use, and as a result, an increase in greenhouse gas emissions is expected.

CalEEMod (The California Emissions Estimator Model/CalEEMod Version 2016.3.1) was utilized to estimate the long-term operational air pollutant emissions and the greenhouse gas emissions that would result from implementation of the proposed Project. The annual GHG emissions associated with the operation of the proposed cultivation facility is 498.0963 CO₂e per year as summarized in Table VII-1. Direct and indirect operational emissions associated with the Project are compared with the SCAQMD threshold significance for industrial facilities Projects, which is 10,000 MTCO₂e per year. Therefore, less than significant impacts are expected.

**Table VII-1
Greenhouse Gas Annual Emissions Summary**

	Emissions (metric tons per year)			
	CO ₂	CH ₄	N ₂ O	Total CO ₂ E
Area	8.9000e-04	0.0000	0.0000	9.5000e-004
Energy	146.9013	4.9400e-003	1.7500e-003	147.5468
Mobile Sources	294.5072	0.0217	0.0000	295.0503
Waste	7.3483	0.4343	0.0000	18.2050
Water Usage	30.1465	0.2211	5.4300e-003	37.2933
Total CO₂E (All Sources)	498.0963			

Source: CalEEMod™ output.

Note: Totals obtained from CalEEMod and may not total 100% due to rounding.

Mitigation Measures: None

- b) Conflict with an applicable plan, policy or regulation adopted for the purpose of reducing the emissions of greenhouse gases?

Discussion:

California's Global Warming Solutions Act of 2006 (AB32) required the California Air Resources Board (CARB) to establish a greenhouse gas (GHG) emissions cap for the year 2020 and adopt the mandatory reporting rules for significant sources of GHG. The SCAQMD adopted the interim GHG significance threshold for stationary/industrial sources on December 5, 2008 which applies to Projects where the SCAQMD is the lead agency. Additionally, the City of Desert Hot Springs has adopted a Climate Action Plan (CAP) to help reduce greenhouse gas emissions or support reduction strategies resulting from development. The Project will implement energy efficient methods such as optimizing the use of natural light for plant growth and water efficient irrigation for plants and landscape design.



Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
--------------------------------------	---	------------------------------------	--------------

The Project is consistent with current General Plan and zoning policies of Light Industrial (I-L) and is not anticipated to conflict with the plan and policies established under Assembly Bill 32, Senate Bill 375 or Senate Bill 97. Therefore, less than significant impacts are expected.

Mitigation Measures: None

VIII. HAZARDS AND HAZARDOUS MATERIALS --Would the Project:

- a) Create a significant hazard to the public or the environment through the routine transport, use, or disposal of hazardous materials?

Discussion:

The Project site is 1.23 acres of vacant desert land located on the northeast corner of Little Morongo Road and 15th Avenue. The Project proposes to construct a medical marijuana facility specifically geared for cultivation. The development includes a single two-story, free standing tilt up/greenhouse structure. Approximately 15,729 sf of building space on the 1st floor will be dedicated for reception, conference room, office support, breakroom, cultivation/processing, and approximately 13,464 sf will be used for greenhouse grow space on the 2nd floor. In total the Project will contain approximately 29,193 sf of total building area. The Project will not involve the use or storage of hazardous materials other than organic certified fertilizers and California approved natural pesticides and fungicides. These materials will be stored and applied according to manufacturer’s instructions to mitigate the potential for incidental release of hazardous materials or explosive reactions.

The Code of Federal Regulations (CFR Title 40, Part 261) defines hazardous materials based on ignitability, reactivity, corrosivity, and/or toxicity properties. The State of California defines hazardous materials as substances that are toxic, ignitable or flammable, reactive and/or corrosive, which have the capacity of causing harm or a health hazard during normal exposure or an accidental release. As a result, the use and management of hazardous or potentially hazardous substances is regulated under existing federal, state and local laws. Hazardous wastes require special handling and disposal methods to reduce their potential to damage public health and the environment. Manufacturer’s specifications also dictate the proper use, handling, and disposal methods for the specific substances.

Construction of the Project is expected to involve the temporary management and use of potentially hazardous substances and petroleum products. The nature and quantities of these products would be limited to what is necessary to carry out construction of the Project. Some of these materials would be transported to the site periodically by vehicle and would be stored in designated controlled areas on a short-term basis. When handled properly by trained individuals and consistent with the manufacturer’s instructions and industry standards, the risk involved with handling these materials is considerably reduced.

To prevent a threat to the environment during construction, the management of potentially hazardous materials and other potential pollutant sources will be regulated through the implementation of control measures required in the Storm Water Pollution Prevention Plan (SWPPP) for the Project. The SWPPP



**Potentially
Significant
Impact**

**Less Than
Significant with
Mitigation
Incorporated**

**Less Than
Significant
Impact**

**No
Impact**

requires a list of potential pollutant sources and the identification of construction areas where additional control measures are necessary to prevent pollutants from being discharged. Best management practices are necessary for *Material Delivery and Storage*; *Material Use*; and *Spill Prevention and Control*.

These measures outline the required physical improvements and procedures to prevent impacts of pollutants and hazardous materials to workers and the environment during construction. For example all construction materials, including paints, solvents, and petroleum products, must be stored in controlled areas and according to the manufacturer's specifications. In addition, perimeter controls (fencing with wind screen), linear sediment barriers (gravel bags, fiber rolls, or silt fencing), and access restrictions (gates) would help prevent temporary impacts to the public and environment. With such standard measures in place, less than significant impacts are anticipated during construction.

The proposed medical marijuana cultivation operations are not expected to involve the routine transport, use or disposal of hazardous materials in quantities or conditions that would pose a hazard to public health and safety or the environment. Gas service will not be immediately available to the Project site. As a result it is necessary for the Project proposed to install two (2) on-site liquid propane tanks. The propane tanks are expected to be installed and operated with the proper facilities and containment, as required by the industry standards.

Construction and installation of the liquid propane tanks will conform to the latest edition of the American Society of Mechanical Engineers (ASME) Code for Pressure Vessels (Section VIII Division 1), and the California Code of Regulations Title 8, Chapter 4 (Department of Industrial Relations), Subchapter 1 (Division of Industrial Safety). The proposed tank facilities will also be required to comply with the National Fire Protection Association Fuel Gas Codes and with the local fire protection regulations. These regulations are applicable to all aspects of the facilities, including the tank's structural integrity, supporting equipment and safety mechanisms. NFPA requires the installation of control safety devices both on containers and in transfer piping to minimize the accidental release of either fuel. The transport of liquid propane to the Project site will be regulated under the U.S. Department of Transportation, which establishes mandatory safety procedures for the transport of these materials.

Consistent with the local codes regulating light industrial districts and medical marijuana facilities, all proposed cultivation operations would only be conducted in the interior of enclosed structures, facilities and buildings. All cultivation operations and all marijuana plants at any stage of growth shall not be visible from the exterior of any structure, facility or building containing the cultivation of medical marijuana. Less than significant impacts related to the routine transport, use or disposal of hazardous materials are expected.

Mitigation Measures: None



Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
--------------------------------------	---	------------------------------------	--------------

- b) Create a significant hazard to the public or the environment through reasonably foreseeable upset and accident conditions involving the release of hazardous materials into the environment?

Discussion:

The Project site is located within a light industrial land use sector of the City that is separated from residential or other densely populated land uses. As previously discussed, the Project is not expected to handle any significant quantities of hazardous materials. The management of propane gas or diesel fuel as a utility service will occur in accordance with the National Fire Protection Association, Fuel Gas Codes and with the fire protection regulations. Any other use of potentially hazardous substances, is expected to occur in small quantities and managed on-site with the proper containment and facilities, as required by the industry standards.

Cultivation activities would involve plant treatment with organic fertilizers, insecticides, acaricides, fungicides, and other crop protection agents. These substances would be stored and applied according to the manufacturer's instructions to reduce the potential for incidental release or reactions. The application and management methods of fertilizers and crop protection agents would be required to comply with all manufacturer-specific instructions, precautionary requirements, and accidental release measures. In most cases, it would be a violation of Federal law to apply these products in a manner that is inconsistent with the instructions provided in each corresponding product labeling. The most common restrictions prohibit the products from being applied directly to water or areas where surface waters are present. Cleaning of equipment shall not result in water contamination. The products shall not be applied either in a way that come in contact with workers or other persons, directly or through drift. Only protected handlers may be present in the area during application. The application and management methods are also subject to requirements pertaining to training, decontamination, notification, and emergency assistance. Any wastes resulting from the use of this product may only be disposed in a landfill approved for pesticide or hazardous material disposal, or in accordance with the applicable federal, state or local procedures.

Toxic cleaning compounds, sanitizing agents, solvents, and potentially flammable materials may also be involved within the proposed facilities. The use of these products would also be subject to the manufacturer's specifications, as well as local, state, and federal regulations that would help protect against accidental release, explosive reactions, injury and contamination.

The Project operator would be required to provide the proper storage facilities and containers designed to protect and isolate these substances, therefore minimizing the threat to the public or the environment. Facility employees shall be trained on safety rules to prevent personal or public risk. Solid waste produced by the Project will be stored in a designated staging area with enclosures and less than significant impacts are expected.

Mitigation Measures: None



	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
--	--------------------------------	--	------------------------------	-----------

- | | | | | |
|---|--------------------------|--------------------------|-------------------------------------|--------------------------|
| c) Emit hazardous emissions or handle hazardous or acutely hazardous materials, substances, or waste within one-quarter mile of an existing or proposed school? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
|---|--------------------------|--------------------------|-------------------------------------|--------------------------|

Discussion:

The Project site is not located within one-quarter mile of an existing or proposed school. The nearest existing school is Two Bunch Palms Elementary located approximately 1.1 miles northeast of the Project. As previously discussed, the Project site would be developed as a facility for the cultivation of medical marijuana. The Project will operate in a fully secured setting and surrounded with perimeter fencing. There will be no public access. The nature of the Project would not involve the use or handling of hazardous substances in quantities or conditions that would result in the release of hazardous emissions, materials or waste. To further minimize any potential public exposure to accidental risks, proper construction and safety measures will be implemented and temporary impacts during construction will be further mitigated by standard operational procedures and protocols as well as Best Management Practices (BMPs). Less than significant impacts are expected.

Mitigation Measures: None

- | | | | | |
|--|--------------------------|--------------------------|-------------------------------------|--------------------------|
| d) Be located on a site which is included on a list of hazardous materials sites compiled pursuant to Government Code Section 65962.5 and, as a result, would it create a significant hazard to the public or the environment? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
|--|--------------------------|--------------------------|-------------------------------------|--------------------------|

Discussion:

Record searches on the Project property were performed within multiple database platforms compiled pursuant to Government Code 65962.5 and its subsections. The resources consulted included *GeoTracker*, *EnviroStor*, and the *EPA Enforcement and Compliance History Online (ECHO)*.

GeoTracker is a database maintained by the State of California Water Resources Control Board that provides online access to environmental data. It serves as the management system for tracking regulatory data on sites that can potentially impact groundwater, particularly those requiring groundwater cleanup and permitted facilities, such as operating underground storage tanks and land disposal sites.

EnviroStor is a database maintained by the State of California Department of Toxic Substances Control (DTSC). The *EnviroStor* database identifies sites with known contamination or sites for which there may be reasons to investigate further. It includes the identification of formerly contaminated properties that have been released for reuse; properties where environmental deed restrictions have been recorded to prevent inappropriate land uses; and risk characterization information that is used to assess potential impacts to public health and the environment at contaminated sites.



Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
---	---	---	----------------------

Moreover, the ECHO database focuses on inspection, violation, and enforcement data for the Clean Air Act (CAA), Clean Water Act (CWA) and Resource Conservation and Recovery Act (RCRA) and also includes Safe Drinking Water Act (SDWA) and Toxics Release Inventory (TRI) data.

In November of 2016, a search was performed on all three database platforms. The search results did not identify any records or sites in connection with the subject property. The EnviroStor and ECHO database results did not identify any Land Disposal Sites, Military Sites, DTSC Hazardous Waste Permits, or DTSC Cleanup Sites on or around the subject property.

The GeoTracker database search results identified the following hazardous sites within a 1,000 mile radius of the Project site:

- Tri-Star Contracting Inc.: 15501 Little Morongo Road, Desert Hot Springs, CA 92240

This property is located approximately 750 feet northwest of the Project. It is registered under the Resource Conservation and Recovery Act (RCRA) as a Leaking Underground Storage Tank (LUST) cleanup site. The Regional Board Case number is 7t2240007 and the Local Agency Case number is 200420551. The leak was first reported in April of 2004 and proper cleanup actions were taken. A letter of completion for site investigation was issued by Riverside County Department of Environmental Health in July of 2005 and the case has been closed.

Less than significant impacts related to significant hazard to the public or the environment are expected.

Mitigation Measures: None

- e) For a Project located within an airport land use plan or, where such a plan has not been adopted, within two miles of a public airport or public use airport, would the Project result in a safety hazard for people residing or working in the Project area?

Discussion:

The Project is not located near an existing airport or airport land use plan. The nearest airport facility to the Project is the Palm Springs International Airport, located approximately 11.4 miles to the south. No impacts are anticipated.

Mitigation Measures: None

- f) For a Project within the vicinity of a private airstrip, would the Project result in a safety hazard for people residing or working in the Project area?



Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
---	---	---	----------------------

Discussion:

The Project is not located in the vicinity of a private airstrip and no impacts are anticipated.

Mitigation Measures: None

- | | | | | |
|---|--------------------------|--------------------------|-------------------------------------|--------------------------|
| g) Impair implementation of or physically interfere with an adopted emergency response plan or emergency evacuation plan? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
|---|--------------------------|--------------------------|-------------------------------------|--------------------------|

Discussion:

The Emergency Preparedness Element of the City's General Plan is designed to address concerns regarding the City's capability to respond to potential natural or man-made disasters. The Element sets forth goals, policies and programs to ensure an effective response. Critical Facilities, Emergency Transportation and Circulation, Emergency Medical Facilities, Emergency Operations Center, Emergency Organization and Chain of Command, and Extended Organizational Structure and Assistance are identified as important components of that strategy.

The City of Desert Hot Springs contracts with Riverside County Fire Department/Cal Fire (RCFD) for a full range of fire protection services provided 24 hours a day 7 days a week. The RCFD is staffed with a combination of County and State of California Department of Forestry & Fire Protection employees. They operate 96 fire stations that serve 1,360,000 residents over 6,970 miles of Riverside County. The City of Desert Hot Springs has two RCFD fire stations, Battalion 10, Station 36; located at 11535 Karen Avenue is approximately 3.7 miles from the Project site. Battalion 10, Station 37 is the City's busiest fire station and is located at 65-958 Pierson Blvd, approximately 2.8 miles from the proposed Project. Both stations are staffed by 8.2 full time personal and each shift has 3 professionals consisting of a Fire Captain/and or engineer and one or two Firefighter II / licensed paramedic on duty at all times. Each station is also equipped with a Type I, 1500 GPM fire engine.

In addition to the other RCFD located in the Coachella Valley, the department maintains a cooperative mutual aid agreement with other agencies and communities to assist in suppressing fire or controlling emergency incidents. Mutual aid is an agreement among emergency responders to lend assistance across jurisdictions provided resources are available and is not to the detriment of their own service area. Per the City's General Plan, agreements are in place with Palm Springs and Cathedral City. Both of these cities provide their own fire services and do not contract with RCFD/Cal Fire. As previously discussed, the nature of the proposed Project is not expected to introduce operations that would hinder the City's ability to implement its emergency response goals, policies or programs.

The site plan configuration of the proposed development includes fire truck drive aisles and turn-around spaces to ensure adequate emergency response access on-site. The proposed design would be subject to a standard review process by the Riverside County Fire Department to ensure that the site-specific emergency access, water pressure, and other pertinent criteria are met by the Project. Less than significant impacts are expected.

Mitigation Measures: None



	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
--	--------------------------------	--	------------------------------	-----------

- | | | | | |
|--|--------------------------|--------------------------|-------------------------------------|--------------------------|
| h) Expose people or structures to a significant risk of loss, injury or death involving wildland fires, including where wildlands are adjacent to urbanized areas or where residences are intermixed with wildlands? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
|--|--------------------------|--------------------------|-------------------------------------|--------------------------|

Discussion:

Large areas of Southern California are susceptible to Wildfires all year round due to the region’s weather, topography and vegetation conditions. The Coachella Valley’s hot dry summer and autumn weather is ideal to generate the dry vegetation that fuels most wildfires. The California Board of Forestry (CDF) ranks fire hazard of wildland areas of the State using four main criteria: fuels, weather, assets at risk, and level of service. Although the Project site and its general surroundings are undeveloped with scattered vegetation, these conditions have not been recognized to meet the criteria of high or very high fire hazard zones.

Wildland fire protection in California is the responsibility of either the State, local government, or the federal government. Local responsibility areas include incorporated cities where fire protection is typically provided by City fire departments, fire protection districts, counties, and by CAL Fire under contract to local government. The City of Desert Hot Springs contracts with Riverside County Fire Department/Cal Fire (RCFD) for a full range of fire protection services provided 24 hours a day 7 days a week. The responsibility for fire prevention and suppression outside of the City boundaries is under the State and federal agencies.

The Riverside County RCIP and the Cal Fire Maps for Western Riverside County indicate that Project and its surroundings are located outside of the Very High Fire Hazard Severity Zone (FHSZ) for Local Responsibility Area and outside of the Very High/High/Moderate FHSZ for State and Federal Responsibility Areas. The Project site is not located on or near any wildfire areas. As previously discussed, the Project will include the on-site fire protection facilities necessary to satisfy the local Fire Department requirements. Less than significant impacts related to wildland fire are expected.

Mitigation Measures: None

IX. HYDROLOGY AND WATER QUALITY -- Would the Project:

- | | | | | |
|---|--------------------------|--------------------------|-------------------------------------|--------------------------|
| a) Violate any water quality standards or waste discharge requirements? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
|---|--------------------------|--------------------------|-------------------------------------|--------------------------|

Discussion:

The Clean Water Act (CWA) of 1972 establishes regulations pertaining to the discharge of pollutants to waters of the U.S. from point sources. Subsequent amendments to the CWA in 1987 established a framework for regulating non-point source stormwater discharges under the National Pollutant Discharge Elimination System (NPDES). Presently in the State of California, the State Water Resources Control Board (SWRCB) and nine California Regional Water Quality Control Boards (RWQCBs) administer the regulation, protection and administration of water quality pursuant to the NPDES. Their regulations encompass storm water discharges from construction sites, municipal



Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
---	---	---	----------------------

separate storm sewer systems (MS4s), and major industrial facilities. The proposed Project is located within the Whitewater River Watershed in the Colorado River Region (Region 7). The City of Desert Hot Springs is a Permittee of the Whitewater River Watershed MS4 (Municipal Separate Storm Sewer System). The proposed development is required to comply with these existing regulations.

The proposed Project will result in temporary and permanent disturbance in an area greater than one acre. Therefore, the Project proponent must comply with the State’s most current NPDES Construction General Permit (CGP) (Order No. 2009-0009-DWQ as amended by 2010-0014-DWQ and 2012-0006-DWQ). Compliance with the CGP involves the development and implementation of a Project-specific Stormwater Pollution Prevention Plan (SWPPP) designed to reduce potential adverse impacts to surface water quality during the period of construction. The required plan must identify the locations and types of construction activities requiring best management practices (BMPs) and other necessary compliance measures to prevent soil erosion and stormwater runoff pollution. The plan will also identify the limits of allowable construction-related disturbance to prevent any off-site exceedances or violations.

Based on the Project location and setting, the SWPPP is expected to identify temporary sediment track-out prevention devices at the construction entrance/exit points adjacent to public roadways (Little Morongo Road and/or 15th Avenue). These BMPs will provide stabilization at the access point(s) to prevent sediment track-out and fugitive dust emissions. Linear sediment barriers will be warranted along portions or the entire construction perimeter to prevent soil erosion impacts. Any proposed storm drain inlets will require temporary protection to prevent sediment or pollutants from entering the on-site storm drain system. Furthermore, construction activities will be subject to good site housekeeping requirements pertaining to street sweeping, proper waste management, proper material handling and storage.

During construction, the Project will also be required to comply with South Coast Air Quality Management District’s (SCAQMD) Rule 403 and 403.1, which prompt the requirement for preparation and implementation of a Fugitive Dust (PM10) Control Plan. Implementation of the Fugitive Dust Control Plan primarily pertains to air quality, but also supports water quality protection through the requirement of soil stabilization measures to prevent sediment erosion and track-out. The concurrent implementation of the required SWPPP and Dust Control Plan plans will prevent the potential construction-related impacts to water quality at the site and its surroundings, therefore resulting in less than significant impacts.

The Project is designed with an on-site stormwater retention system that during the life of the Project will comply with the City’s drainage requirements by preventing the discharge and transport of untreated runoff associated with the Project. The Project will be required to comply with the Stormwater Management and Discharge Controls per Chapter 13.08 of the Desert Hot Springs Municipal Code (Ordinance #1997-03). Therefore, the Project proponent will be required to develop and implement a Project-Specific Water Quality Management Plan (WQMP) to comply with the most current standards of the Whitewater River Region Water Quality Management Plan for Urban Runoff and the Whitewater River Watershed MS4 Permit. The Project-Specific WQMP will identify a strategy of site design, source controls, and treatment controls with a required operation and maintenance program to address post-



Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
---	---	---	----------------------

construction runoff quality and quantity. The site plan, grading design, storm drain design, and retention facility of the Project must be factored in the Project-Specific WQMP development and documentation. Less than significant impacts are expected.

Mitigation Measures: None

- b) Substantially deplete groundwater supplies or interfere substantially with groundwater recharge such that there would be a net deficit in aquifer volume or a lowering of the local groundwater table level (e.g., the production rate of pre-existing nearby wells would drop to a level which would not support existing land uses or planned uses for which permits have been granted)?

Discussion:

Groundwater is the principal source of municipal water supply in the Coachella Valley. The Project is underlain by the Mission Creek groundwater sub-basin, which along with the Garnet Hill sub-basin occupies the northern portion of the Coachella Valley and forms part of the larger Coachella Valley Groundwater Basin. This basin is managed under the Mission Creek and Garnet Hill Subbasins Water Management Plan, operated by the Coachella Valley Water District, the Desert Water Agency and the Mission Springs Water District (MSWD). The Water Management Plan identifies long-term strategies to address current and future water demands in this area. The Project is located within the service boundary of the Mission Springs Water District.

The proposed development will be expected to implement water conservation measures to reduce impacts to public water supplies. These measures must include low-flow plumbing fixtures, drought-tolerant (native) outdoor landscaping, and water-efficient irrigation systems. Additional domestic water improvements necessary to serve this development will be identified by MSWD and included as conditions of approval by the City of Desert Hot Springs during the City’s standard review process.

The Project site design is not expected to interfere with groundwater recharge conditions. The Project includes an underground retention facility with a capacity to collect and infiltrate the incremental increase between pre-development and post-development flood volume from the controlling storm event. This method of stormwater management will therefore facilitate groundwater recharge through infiltration. Infiltration opportunities are also provided in the form of pervious cover areas provided in the landscaping design. Less than significant impacts are expected.

Mitigation Measures: None



Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
---	---	---	----------------------

- c) Substantially alter the existing drainage pattern of the site or area, including through the alteration of the course of a stream or river, in a manner which would result in substantial erosion or siltation on- or off-site?

<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
--------------------------	--------------------------	-------------------------------------	--------------------------

Discussion:

The Mission Creek Interim Channel is one of the principal drainage facilities in the vicinity of the Project. Constructed in three stages (1, 2 and 3) by the Riverside County Flood Control and Water Conservation District (RCFCWCD), the interim channel is designed to provide approximately 5.2 miles of earthen containment along the prevailing northwest-to-southeast drainage course. The three stages of interim channelization are located within the Upper Mission Creek/Big Morongo Canyon and the Willow Hole Conservation Area of the Coachella Valley Multiple Species Habitat Conservation Plan (CVMSHCP). The design and construction of the interim channel took place prior to the adoption of the CVMSCHCP.

The propose Project is located at the northeast corner of Little Morongo Road and 15th Avenue. The north-south alignment of Little Morongo Road generally distinguishes the transition from Stage 1 to Stage 2 of the Mission Creek Interim Channel. The proposed project is situated northeast in relation to Stage 2. Based on the RCFCWCD Mission Creek Interim Channel Stage 2 plans, approved January 30, 1974, the existing channel has an average right-of-way of 350 feet. The typical channel section has top-of-channel width of 77.5 feet with a 2 percent slope toward the channel bank. The unlined bank has a width of 27.5 feet with a 5-to-1 slope to the channel invert, which has a design width of 150 feet and a depth of 5.5 feet. The plans also indicate the relocation of 15th Avenue (east of Little Morongo Road) to prevent conflicts with the channel right-of-way. As a result, the project location does not interfere with the existing channel improvements.

The entire Project property has a Zone AO FEMA designation, subject to inundation by the 100-year (1-percent-annual-chance) flood with a depth of one (1) feet. A majority of the project site is deemed to have an average velocity of 5 feet per second, while a southeast portion is shown to have an average velocity of 4 feet per second. The current Zone AO designation encompasses undeveloped and developed properties.

Project implementation would involve permanent site improvements on more than one acre, therefore introducing impervious surfaces in the form of buildings, paving, and hardscape to the previously undeveloped (pervious) land. The nature of the Project requires ample utilization of the entire property to accommodate the proposed facilities and operations (parking lot, drive aisles, structures, etc.). As a result, opportunities to minimize imperviousness through the use of landscaping, natural areas or other pervious surfaces are restricted and interspersed throughout the Project site plan. Approximately 73 percent of the proposed on-site development would consist of impervious coverage (buildings, access roads, parking, and sidewalks) and the remaining areas would consist of pervious coverage (landscape areas). To prevent changes to local drainage conditions (patterns, quantities, or velocities) and adverse erosion and sedimentation impacts, the Project incorporates storm drain design and flood control facilities.



Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
---	---	---	----------------------

The project includes a proposed underground retention facility on the east-end of the property. Stormwater runoff from throughout the Project, including parking areas, hardscape and roof drainage, would be carried to this retention facility via surface and piped conveyances. The structure would be sized to contain the largest increase in runoff volume between the pre- and post-construction condition caused by the controlling storm event. The Preliminary Hydrology Report prepared for this project indicates that the underground structure would consist of 36-inch-diameter perforated corrugated metal pipe (CMP) with an expected storage capacity of 1,580 cubic feet. Only runoff in excess of the storm drain system capacity would be conveyed off-site in a pattern that does not cause erosion or siltation conditions. The proposed building will be protected with 2-foot tall flood barriers on all sides and all openings will be equipped with flood shields.

The proposed improvement plans will be subject to agency review and approval ensure that the proposed grading and drainage conditions are acceptable to the City standards. As a result, following implementation of an approved grading plan, the Project is not anticipated to alter any local drainage course, stream or wash in a manner that would result in erosion or siltation on- or off-site. Following the mitigation measures, less than significant impacts are expected related to the existing drainage patterns and erosion or siltation conditions.

Mitigation Measures: None

- d) Substantially alter the existing drainage pattern of the site or area, including through the alteration of the course of a stream or river, or substantially increase the rate or amount of surface runoff in a manner which would result in flooding on- or off-site?

<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
--------------------------	--------------------------	-------------------------------------	--------------------------

Discussion:

The proposed Project would introduce impervious surfaces (hardscape, asphalt, rooftops, etc.) to a presently undeveloped (pervious) ground condition. In particular, it is expected that approximately 73 percent of the post-development project condition will consist of impervious coverage. This conversion would typically result in a site-specific increase in the rate and amount of surface runoff. To manage this on-site condition, the Project includes a proposed storm drainage design (subject to approval by the City Engineer) with surface and piped conveyances draining into one underground retention structure. Retention facility will be required to incorporate a capacity to accept and infiltrate the worst-case increase in runoff volume between the pre- and post-development condition resulting from the controlling storm event. The proposed underground facility consists of corrugated CMP with a 36-inch diameter and a storage capacity of 1,580 cubic feet. Furthermore, the project involves frontage street improvements on 15th Avenue to the south and Little Morongo Road to the west, both of which are existing rights-of-way. Based on these conditions, the project is not expected to alter any existing drainage pattern or the Mission Creek Interim Channel Stage 2 right of way. Less than significant impacts are expected.

Mitigation Measures: None



	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
--	--------------------------------------	---	------------------------------------	--------------

- | | | | | |
|---|--------------------------|--------------------------|-------------------------------------|--------------------------|
| e) Create or contribute runoff water which would exceed the capacity of existing or planned stormwater drainage systems or provide substantial additional sources of polluted runoff? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
|---|--------------------------|--------------------------|-------------------------------------|--------------------------|

Discussion:

The undeveloped Project property does not contain any private stormwater drainage facilities, but is located within the Whitewater River Watershed Municipal Separate Storm Sewer System (MS4), of which, the City of Desert Hot Springs is a permittee. The existing Mission Creek Interim Channel (Stage 2) is located south and southwest in relation to the Project. As previously discussed, the earthen channel is designed to contain the prevailing natural drainage course and nearby tributaries of Mission Creek.

Based on the local natural topography, low-volume runoff from the undeveloped Project property and surrounding areas has the propensity to sheet-flow toward the south and southeast. Some runoff from the site may exit the project toward Little Morongo Road and into the channel.

The Project involves a proposed stormwater drainage system incorporated into the site plan and grading design. The system would allow for Project runoff to drain via surface and piped flows into one proposed underground infiltration structure situated on the east end of the property. The grading design and improvement plans, which are subject to City review and approval, would ensure the Project's post development runoff flow rates, volumes, velocities, and durations does not exceed the pre-development condition and therefore would not result in impacts to the existing receiving drainages. Less than significant impacts relative to runoff water are expected.

Mitigation Measures: None

- | | | | | |
|---|--------------------------|--------------------------|-------------------------------------|--------------------------|
| f) Otherwise substantially degrade water quality? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
|---|--------------------------|--------------------------|-------------------------------------|--------------------------|

Discussion:

The proposed Project includes one underground stormwater retention facility required to have a capacity to handle the site-specific Water Quality Management Plan (WQMP) design volume requirement. The storm drain system and retention structure will allow the Project to comply with the Stormwater Management and Discharge Controls stipulated in Chapter 13.08 of the Desert Hot Springs Municipal Code (Ordinance #1997-03). Adhering to this ordinance will help minimize the discharge and transport of pollutants associated with the new development though the control of volume and rate stormwater runoff. Pursuant to this ordinance, the Project is subject to various methods and standards for controlling stormwater volumes, rates, and pollutants, as deemed necessary for approval by the City's Director of Public Works.

The Project proponent will be required to develop and implement a Project-Specific Water Quality Management Plan (WQMP) to comply with the most current standards of the *Whitewater River Region*



Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
---	---	---	----------------------

Water Quality Management Plan for Urban Runoff and the Whitewater River Watershed MS4 Permit. The Project-Specific WQMP will identify a strategy of site design, source controls, and treatment controls with a maintenance and monitoring program that throughout the life of the Project will address post-construction runoff quality and quantity. The site plan, grading design, storm drain design, and retention features of the Project are factored in the Project-Specific WQMP development.

Through this required compliance, the Project will prevent impacts to the local receiving waters and avoids Project violations to the established water quality standards and waste discharge requirements. As a standard condition for new development Projects, the Project-Specific WQMP must be submitted and approved prior to the first discretionary Project approval or permit. The Project-Specific WQMP will identify the required maintenance practices necessary to ensure that the water quality facilities remain effective during the life of the Project. These include a maintenance covenant, inspection and maintenance program, with regular monitoring for all proposed measures and devices. Less than significant impacts relative to the substantial degradation of water quality are expected.

Mitigation Measures: None

- g) Place housing within a 100-year flood hazard area as mapped on a federal Flood Hazard Boundary or Flood Insurance Rate Map or other flood hazard delineation map?

Discussion:

The entire property is mapped within the 100-year flood hazard area (Zone AO) by the Federal Emergency Management Agency (FEMA), but the Project does not include housing. The proposed improvement plans will be subject to agency review and approval ensure that the proposed grading and drainage conditions are acceptable to the City standards. No impacts relative to placing housing in a 100-year flood hazard area are expected.

Mitigation Measures: None

- h) Place within a 100-year flood hazard area structures which would impede or redirect flood flows?

Discussion:

The Federal Emergency Management Agency (FEMA) evaluates potential flood hazards for the City. The FEMA Flood Insurance Rate Maps (FIRMs) serve as the basis for identifying those potential hazards and determining the need for and availability of federal flood insurance. According to FIRM panel 06065C0885G, effective August 28, 2008, the entire Project and its immediate surroundings are located within Zone AO and is identified as being subject to inundation by the 1-percent-annual-chance storm with shallow flooding (usually sheet flow) at an average depth of one (1) feet. The FIRM indicates that a majority of the project property has an average flood velocity of five (5) feet per second, while a minor southeast portion is shown to have a velocity of four (4) feet per second. The average flood



Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
--------------------------------------	---	------------------------------------	--------------

depths are derived from detailed hydraulic analyses. Mandatory flood insurance purchase requirements and floodplain management standards apply.

As designed, the proposed development within an existing light industrial district is not expected to considerably alter the existing flood zone characteristics identified in the FEMA maps. Stormwater runoff generated by the Project would be managed by a storm drainage system that includes an infiltration facility with the capacity to retain the incremental increase in runoff volume between the pre- and post-construction conditions resulting from the controlling storm event. The proposed building will be improved with flood walls on all sides and all openings (doors) will be protected with flood shields. Offsite tributary flood flows will be conveyed and allowed to pass through the site. The proposed improvement plans, subject to agency review and approval, will ensure that the proposed grading and drainage conditions are acceptable to the City standards. Less than significant impacts are expected.

Mitigation Measures: None

- i) Expose people or structures to a significant risk of loss, injury or death involving flooding, including flooding as a result of the failure of a levy or dam?

Discussion:

The Project is not located near an existing dam; therefore, no impacts are expected pertaining to this topic. The Project is located within close proximity to an existing earthen channel, which was constructed and maintained by RCFPWD. The interim channel is designed to convey flows along a 150-foot channel bed protected by earthen banks within a 350-foot channel right-of-way. In the project vicinity, majority of the tributary area to the channel consists of undeveloped land and is assumed to sheet-flow into the channel along natural and engineered low points. Moreover, the Project is located within a 100-year flood zone based on FEMA FIRM panel 06065C0885G, effective August 28, 2008.

The Project is expected to provide the appropriate site improvements to protect the proposed structure without increasing the risk of flooding. The basis of protection involves an engineered storm drain design with facilities sized to intercept and retain the on-site storm runoff. These improvements also include 2-foot tall flood walls on all sides of the building and flood shields at all building openings (such as doors). Less than significant impacts are expected relative to substantial erosion or siltation on or offsite.

Mitigation Measures: None

- j) Inundation by seiche, tsunami or mudflow?

Discussion:

The Project site is not located near a levee or dam, nor is the Project located near a body of water that would pose potential seiche or tsunami impacts. The Project is located within a recognized flood zone (FEMA Zone AO) and east of Mission Creek. The Project site is underlain by Hydrologic Soil Type "A", which is characterized for having a high infiltration rate (low runoff potential) when thoroughly wet. Type "A" soils consist mainly of deep, well drained to excessively drained sands or gravelly sands. These



Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
---	---	---	----------------------

soils have a high rate of water transmission. Combined with the relatively shallow gradients that characterize the vicinity, the erosive nature and mudflow potential is reduced. The proposed site plan includes a facility sized to contain the worst-case scenario runoff volume difference between pre- and post-development conditions. Only flows in excess of the Project's retention requirements would be allowed to exit the Project area, therefore, less than significant impacts are expected.

Mitigation Measures: None

X. LAND USE AND PLANNING - Would the Project:

- a) Physically divide an established community?

Discussion:

The Project site sits on approximately 1.23 acres of vacant land at the northeast corner of Little Morongo Road and 15th Avenue. The site is within a Light Industrial (I-L) zoning which provides for business parks and the development of light industrial uses, as designated by the City of Desert Hot Springs. Properties immediately to the north and east of the project are in a vacant state with similar conditions to those found on-site. The Project proposes to construct a medical marijuana facility specifically geared for cultivation. The development includes a single two-story, free standing tilt up/greenhouse structure with an approximate total of 29,193 sf of building area. The proposed Project is consistent with the surrounding land uses and the city's Land Use and Zoning designations. There are no established communities in the Project vicinity and thus no communities will be divided. Therefore, no impacts relative to the division of an established community are expected.

Mitigation Measures: None

- b) Conflict with any applicable land use plan, policy, or regulation of an agency with jurisdiction over the Project (including, but not limited to the general plan, specific plan, local coastal program, or zoning ordinance) adopted for the purpose of avoiding or mitigating an environmental effect?

Discussion:

The applicant is processing a Conditional Use Permit to construct a facility for the indoor cultivation and processing of medical marijuana. The Project is zoned Light Industrial, this zone is intended to accommodate any and all industrial uses operating entirely in enclosed buildings, requiring limited and screen-able outdoor storage space and medical marijuana cultivation facilities. The Project site is largely segregated from the City's intense residential and commercial uses and is consistent with the City's General Plan land use designation.



Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
---	---	---	----------------------

The Project includes approval of a Conditional Use Permit (Municipal Code 17.180.090) and Regulatory Permit (Municipal Code Chapter 5.50) to thoroughly evaluate the design and operation of the proposed facility and render it in full compliance with City regulations. In addition, all medical marijuana cultivation operations and any related activities, such as transportation, manufacturing, and testing, would be subject to existing and proposed State laws including the Compassionate Use Act of 1996 (California Health and Safety Code Sections 11362.7 through 11362.83), the California Attorney General's Guidelines for the Security and Non-Diversion of Marijuana Growth for Medical Use (issued in August, 2008), and any future state laws that may be adopted, such as State Assembly Bill 266 (AB 266).

The Project's physical characteristics and internal operations will not conflict with the City's land use, zoning or other regulatory policies. Site design features will be reviewed and approved by the City relative to compliance with the City's General Plan and Zoning. Less than significant impacts are expected.

Mitigation Measures: None

- c) Conflict with any applicable habitat conservation plan or natural community conservation plan?

Discussion:

The proposed Project is not located within a Conservation Area as designated by the Coachella Valley Multi-Species Habitat Conservation Plan (CVMSHCP). Additionally, the site is not located immediately adjacent to a Conservation Area of the plan and is therefore, not subject to Plan requirements regarding lands adjoining Conservation Areas. Moreover, the Project specific Biological Assessment findings conclude that there are no protected biological resources on the property as recognized by the CVMSHCP. As a standard condition, all new development will pay the most current mitigation fees for the implementation of the CVMSHCP and support the acquisition of conservation lands. Therefore, the project will not conflict with any applicable habitat conservation plan and less than significant impacts are expected.

Mitigation Measures: None

XI. MINERAL RESOURCES -- Would the Project:

- a) Result in the loss of availability of a known mineral resource that would be of value to the region and the residents of the state?

Discussion:

In accordance with the Surface Mining and Reclamation Act of 1975 (SMARA), mineral land classification maps and reports have been developed to assist in the protection and development of mineral resources.

Local agencies, including the City of Desert Hot Springs, utilize the existing information on mineral classifications for land use plan development and decision-making. In the City of Desert Hot Springs



Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
---	---	---	----------------------

General Plan Mineral Resource Element, and the SMARA map of Desert Hot Springs, the Project and its surroundings are located within Mineral Resource Zone 3 (MRZ-3), which applies to areas where the significance of mineral deposits cannot be evaluated from the available data. There are no specific known mineral resource deposits or facilities on or near the Project.

The nature of the Project does not involve the extraction of mineral deposits. Construction of the proposed cultivation facility would rely on existing local and regional aggregate resources from permitted facilities. The Project is not expected to result in a considerable extraction and/or loss of known mineral resources that are considered important to the Coachella Valley Region or residents of California. Less than significant impacts are expected related to the loss of availability of known mineral resources.

Mitigation Measures: None

- | | | | | |
|---|--------------------------|--------------------------|-------------------------------------|--------------------------|
| b) Result in the loss of availability of a locally-important mineral resource recovery site delineated on a local general plan, specific plan or other land use plan? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
|---|--------------------------|--------------------------|-------------------------------------|--------------------------|

Discussion:

Mineral resources that are known to exist in the Coachella Valley region primarily consist of sand and gravel (aggregate) typically deposited along and near local drainages. Aggregate material is deemed necessary to the local building industry as a component of asphalt, concrete, road base, stucco and plaster. Local or regional construction industries tend to be dependent on readily available aggregate deposits within reasonable distance to the market region. The Project site is not recognized as a mineral resource recovery site delineated in the County of Riverside General Plan, City of Desert Hot Springs General Plan or the resource maps prepared pursuant to SMARA. The proposed Project is located near two regional drainages (Upper Mission Creek and Big Morongo Wash), which are located within conservation areas of the CVMSHCP and therefore will not be disturbed by the Project. Less than significant impacts are expected.

Mitigation Measures: None

XII. NOISE -- Would the Project result in:

- | | | | | |
|---|--------------------------|--------------------------|-------------------------------------|--------------------------|
| a) Exposure of persons to or generation of noise levels in excess of standards established in the local general plan or noise ordinance, or applicable standards of other agencies? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
|---|--------------------------|--------------------------|-------------------------------------|--------------------------|

Discussion:

Noise is defined as unwanted sound that disrupts normal activities or that diminishes the quality of the environment. It is usually caused by human activity that adds to the existing acoustic setting of a locale. Noise is measured on a logarithmic scale of sound pressure level known as a decibel (dB). The human ear does not respond uniformly to sounds at all frequencies, being less sensitive to low and high



Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
---	---	---	----------------------

frequencies than to medium frequencies that correspond with human speech. In response to this, the A-weighted noise level or scale has been developed to correspond better with peoples’ subjective judgment of sound levels. This A-weighted sound level is called the “noise level” referenced in units of dB(A).

City of Desert Hot Springs has the authority to establish land use noise standards and corresponding restrictions under the City’s Noise Ordinance. Noise standards vary land use based on the assumed susceptibility. In Table V-2 of the Noise Element, the Project corresponds to the category of “Industrial” based on land use designation. For this land use, the normally acceptable noise exposure ranges from 50 to 75 CNEL. The generally unacceptable noise levels range from 70 and 80 CNEL, while construction and development is discouraged where noise levels exceed 75 CNEL.

The Project property forms part of an undeveloped portion of the light industrial district in the City of Desert Hot Springs. Though this area has been designated in the City’s General Plan to support business parks and the development of light industrial uses, a majority of the land remains undeveloped. The majority of existing operating facilities within the light industrial land use district are found east of Little Morongo Road between Two Bunch Palms Trail and San Gorgonio Lane. With the exception of a paved roadway to the west (Little Morongo Road) and a dirt road to the south (15th Avenue), the project property is surrounded by undeveloped land in all directions. As such, no existing or planned residential dwellings are present in the project surroundings. The undeveloped Project site does not constitute an existing source of noise, but it is exposed to noise levels caused by traffic along Little Morongo Road to the west and by limited traffic on 15th Avenue to the south.

The construction activities of the Project are expected to generate short-term noise increases compared to the existing levels. A temporary incremental increase in noise levels along local roadways (Little Morongo Road and 15th Street) is expected to occur during the transport of workers and equipment to and from the site. Noise increases will also be generated by the actual on-site construction activities, which based on location and context, will not take place within close proximity to any sensitive receptor.

As a standard requirement, the Project is expected to abide by the Municipal Code regulations on construction hours, which limit activities to the less sensitive times of the day. Construction activities are only permitted between 7:00 a.m. and 5:00 p.m. Monday through Saturday. During daylight savings time, construction is permitted between 6:00 a.m. and 6:00 p.m. Monday through Saturday. Construction is not permitted on Sundays. During construction, the project is also expected to follow common industry standards that will help limit noise level increases. For example, all construction equipment, fixed or mobile, should be equipped with properly operating and maintained mufflers and the engines should be equipped with shrouds. Approved haul routes shall be used to minimize exposure of sensitive receptors to potential adverse levels from hauling operations. All construction equipment shall be in proper working order and maintained to reduce backfires.

During the life of the Project, all cultivation operations shall be conducted in the interior of enclosed structures, facilities, and buildings, as mandated by the local zoning ordinance. All cultivation operations, including materials management, will occur indoors and within the fenced limits. Outdoor



Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
--------------------------------------	---	------------------------------------	--------------

activities will be limited. These include vehicular access and circulation in the Project's parking lot and drive aisles; access to the trash enclosures for waste management (disposal and pick-up); access to the outdoor utilities for maintenance purposes (generator and fuel tanks, chillers, septic or sewer systems, storm drain system components). While the Project would result in an increase in noise levels compared to the existing undeveloped condition, the nature and intensity of operations that would occur in the proposed structures are not expected to result in the generation of noise levels that would surpass the community noise and land use compatibility standards. The Project is expected to result in an incremental increase in traffic-related noise levels on the local roadways and less than significant impacts are expected.

Mitigation Measures: None

- b) Exposure of persons to or generation of excessive groundborne vibration or groundborne noise levels?

Discussion:

Groundborne vibration also referred to as earthborne vibration, can be described as perceptible rumbling, movement, shaking or rattling of structures and items within a structure. Groundborne vibration can generate a heightened disturbance in residential areas. These vibrations can disturb residential structures and household items while creating difficulty for residential activities such as reading or other tasks. Although groundborne vibration is sometimes perceptible in an outdoor environment, it is not a problem as it is when this form of disturbance is experienced inside a building. Groundborne vibration can be measured in terms of amplitude and frequency or vibration decibels (VdB). Trains, buses, large trucks and construction activities that include pile driving, blasting, earth moving and heavy vehicle operation commonly cause these vibrations. Other factors that influence the disturbance of groundborne vibration include distance to source, foundation materials, soil and surface types.

The Project is surrounded by vacant land and is separated from the nearest existing residential uses by a minimum distance of 4,850 feet. Due to this location context, the presence of residential uses and any other sensitive receptors in relation to the project is not a relevant factor.

The existing source of groundborne vibration is attributed to the circulation of large vehicles and trucks along Little Morongo Road. Construction of the Project is expected to involve the temporary use of vehicles and equipment that would result in short-term groundborne vibration increases within the permitted construction hours established by the City. During the life of the Project, all routine Project operations will occur within the proposed structure and during the permitted hours of operation, as mandated by the local ordinance and conditioned by the City. The routine operation of vehicles accessing the Project would cause an incremental increase in groundborne vibration, but not in levels that would be deemed inconsistent with the existing industrial setting or excessive in nature, such that would impact residential uses. Less than significant impacts related to excessive groundborne vibration noise levels are expected.

Mitigation Measures: None



	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
--	--------------------------------	--	------------------------------	-----------

- c) A substantial permanent increase in ambient noise levels in the Project vicinity above levels existing without the Project?

Discussion:

The Project property and most of its surroundings are undeveloped. Therefore, this setting does not represent an existing source of ambient noise. The Project site is not located adjacent or within close proximity to any residential land uses or other sensitive receptors. An existing source of ambient noise is attributed to traffic on Little Morongo Road to the west. Noise resulting from the Project operations is anticipated to be largely contained in the proposed structures, while noise resulting from traffic noise caused by the Project is not expected to substantially increase the current ambient levels in a way that would impact sensitive receptors. Less than significant impacts related to permanent increase in ambient noise levels are expected.

Mitigation Measures: None

- d) A substantial temporary or periodic increase in ambient noise levels in the Project vicinity above levels existing without the Project?

Discussion:

As discussed previously, the proposed cultivation site will produce a temporary increase in ambient noise levels during construction. During Project site preparation, grading and construction, the contractors will be expected to utilize properly maintained construction equipment consistent with the manufacturer's standards. Construction activities are required to take place within the designated hours established by the City of Desert Hot Springs. Less than significant impacts related to temporary or periodic ambient noise levels are expected.

Mitigation Measures: None

- e) For a Project located within an airport land use plan or, where such a plan has not been adopted, within two miles of a public airport or public use airport, would the Project expose people residing or working in the Project area to excessive noise levels?

Discussion:

The Project is located approximately 11 miles north of the Palm Springs International Airport and is not located within its airport land use plan. No impacts are expected to result related to Projects located within an airport land use plan.

Mitigation Measures: None



	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
--	--------------------------------	--	------------------------------	-----------

- | | | | | |
|--|--------------------------|--------------------------|--------------------------|-------------------------------------|
| f) For a Project within the vicinity of a private airstrip, would the Project expose people residing or working in the Project area to excessive noise levels? | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
|--|--------------------------|--------------------------|--------------------------|-------------------------------------|

Discussion:

The Project is not located within the vicinity of a private airstrip. No impacts are expected to result the Project located in the vicinity of a private airstrip and no mitigation measures are required.

Mitigation Measures: None

XIII. POPULATION AND HOUSING – Would the Project:

- | | | | | |
|---|--------------------------|--------------------------|-------------------------------------|--------------------------|
| a) Induce substantial population growth in an area, either directly (for example, by proposing new homes and businesses) or indirectly (for example, through extension of roads or other infrastructure)? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
|---|--------------------------|--------------------------|-------------------------------------|--------------------------|

Discussion:

The Project applicant seeks a Conditional Use Permit (CUP) for the development of a facility for the indoor cultivation and processing of medical marijuana. The proposed facility consists of a single, two-story, free standing tilt up/greenhouse structure. Approximately 15,729 sf of building space on the 1st floor will be dedicated for reception, conference room, office support, breakroom, cultivation/processing, and approximately 13,464 sf will be used for greenhouse grow space on the 2nd floor. In total the Project will contain approximately 29,193 sf of total building area. The Project is compatible with operations and uses permitted in the Light Industrial (I-L) zone with the approval of the CUP. The Project is expected to be developed in one phase. When fully staffed, the facility is estimated to staff approximately 20 employees. The proposed Project may encourage relocation for employment. However, the number of employees would be relatively minor considering the facility’s purpose and in comparison with other light industrial uses.

The Project does not have a residential component and improvements to roads and other infrastructure will be associated with the cultivation facility and would not induce substantial growth to the area. Less than significant impacts are expected.

Mitigation Measures: None

- | | | | | |
|---|--------------------------|--------------------------|--------------------------|-------------------------------------|
| b) Displace substantial numbers of existing housing, necessitating the construction of replacement housing elsewhere? | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
|---|--------------------------|--------------------------|--------------------------|-------------------------------------|

Discussion:

The entire property is currently vacant land designated by the City General Plan and zoning for light industrial activity and would not displace any existing housing or require replacement housing. No impacts are anticipated.



	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
--	---	---	---	----------------------

Mitigation Measures: None

- | | | | | |
|---|--------------------------|--------------------------|--------------------------|-------------------------------------|
| c) Displace substantial numbers of people, necessitating the construction of replacement housing elsewhere? | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
|---|--------------------------|--------------------------|--------------------------|-------------------------------------|

Discussion:

As mentioned above, the site has a light industrial land use and zoning designation and is currently undeveloped, vacant desert land. The Project does not propose any residential uses that would necessitate the construction of replacement housing. No impacts are expected.

Mitigation Measures: None

XIV. PUBLIC SERVICES

- a) Would the Project result in substantial adverse physical impacts associated with the provision of new or physically altered governmental facilities, need for new or physically altered governmental facilities, the construction of which could cause significant environmental impacts, in order to maintain acceptable service ratios, response times or other performance objectives for any of the public services:

Fire protection?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
------------------	--------------------------	--------------------------	-------------------------------------	--------------------------

Discussion:

The City of Desert Hot Springs contracts with Riverside County Fire Department/Cal Fire (RCFD) for a full range of fire protection services provided 24 hours a day 7 days a week. The RCFD is staffed with a combination of County and State of California Department of Forestry & Fire Protection employees. They operate 96 fire stations that serve 1,360,000 residents over 6,970 miles of Riverside County. The City of Desert Hot Springs has two RCFD fire stations, Battalion 10, Station 36; located at 11535 Karen Avenue is approximately 3.7 miles from the Project site. Battalion 10, Station 37 is the City's busiest fire station and is located at 65-958 Pierson Blvd, approximately 2.8 miles from the proposed Project. Both stations are staffed by 8.2 full time personal and each shift has 3 professionals consisting of a Fire Captain/and or engineer and one or two Firefighter II / licensed paramedic on duty at all times. Each station is also equipped with a Type I, 1500 GPM fire engine.

In addition to the other RCFD located in the Coachella Valley, the department maintains a cooperative mutual aid agreement with other agencies and communities to assist in suppressing fire or controlling emergency incidents. Mutual aid is an agreement among emergency responders to lend assistance across jurisdictions provided resources are available and is not to the detriment of their own service area. Per the City's General Plan, agreements are in place with both Palm Springs and Cathedral City. These cities provide their own fire services and do not contract with RCFD/Cal Fire.



Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
---	---	---	----------------------

The proposed project is an approximately 29,000 square foot facility specialized for the indoor cultivation of medical marijuana on a 1.23 acre site in accordance with Desert Hot Springs Municipal Code 5.50 and 7.180. The development includes a single two-story, free standing tilt up/greenhouse structure. Approximately 15,729 sf of building space on the 1st floor will be dedicated for reception, conference room, office support, breakroom, cultivation/processing, and approximately 13,464 sf will be used for greenhouse grow space on the 2nd floor. In total the Project will contain approximately 29,193 sf of total building area.

Development of the Project increases demand on fire services, however based on the site proximity to the City's existing fire stations, the proposed Project could be adequately served without the expansion of a new fire facility and adequate response times would be met. Additionally, the Project would be required to implement all applicable and current California Fire Code Standards. This would include installation of fire hydrants as well as sprinkler systems inside the buildings. Furthermore, the Project will be reviewed by City and Fire officials to ensure adequate fire service and safety as a result of Project implementation. The Project will also be required to comply with the City's Development Impact Fees (DIF) to assist with the funding of public facilities and services, including fire, therefore, less than significant impacts are expected.

Mitigation Measures: None

Police protection?

Discussion:

Police services are provided to the Project area by the Desert Hot Springs Police Department. The police department operates out of a single location and is located at 65-950 Pierson Blvd, approximately 2.8 miles from the Project site. Per communication with City of DHS police department, the DHSPD has 27 sworn officers and 6 support staff, totaling 33 positions. Based on the 2013 City population of 27,903 persons, the resulting officer to resident ratio is 0.96 per 1,000 population.

The proposed project is a 29,000 square foot facility specialized for the indoor cultivation of medical marijuana on a 1.23 acre site in accordance with Desert Hot Springs Municipal Code 5.50 and 7.180. The development includes a single two-story, free standing tilt up/greenhouse structure. Approximately 15,729 sf of building space on the 1st floor will be dedicated for reception, conference room, office support, breakroom, cultivation/processing, and approximately 13,464 sf will be used for greenhouse grow space on the 2nd floor. In total the Project will contain approximately 29,193 sf of total building area. The entire site is secured within a perimeter fence and construction is proposed in one phase.

Security measures have been thoroughly incorporated into the Project in addition to on-site security. The site will be entirely enclosed within perimeter security fencing and gated entry/exit drives will control vehicular access onto and off the property. Security cameras will be mounted on all exterior doors, perimeter fencing and entry gates. A more detailed, comprehensive security plan is required by the City during the regulatory permit phase. This will include specific locations and areas of coverage by security cameras; location of audible interior and exterior alarms; location of exterior lighting; name and contact information of Security Company monitoring the site and any additional information required by the City.



Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
---	---	---	----------------------

Although the Project may require additional demand for police services, the demand is not expected to hinder the City's ability to provide police protection services and adequate response times would be met. Furthermore, the Project will be reviewed by City and Police officials to ensure adequate fire service and safety as a result of Project implementation. The Project will also be required to comply with the City's Development Impact Fees (DIF) to assist with the funding of public facilities and services, including police, therefore, less than significant impacts are expected. The Project will also undergo City and Police review to ensure public safety.

Mitigation Measures: None

Schools?

Discussion:

The proposed Project falls under the Palm Springs Unified School District (PSUSD). Development of the Project would not create a direct demand for school service. The Project is proposing a 29,000 square foot facility specialized for the indoor cultivation of medical marijuana; employment generated by the Project would not be expected to draw a substantial number of new residents that would generate school age children requiring public education or substantially alter school facilities or the demand for public education and no new facilities would need to be constructed. Additionally, any future development will be required to pay PSUSD, developer impact fees to assist in offsetting impacts to school facilities. At the time of writing, current development fees are \$3.48 a square foot for residential and \$.56 a square foot for commercial projects. Less than significant impacts to school services are expected.

Mitigation Measures: None

Parks?

Discussion:

As discussed below in Section XV(a) and XV(b), the proposed Project would not create additional demand for public park facilities, nor result in the need to modify existing or construct new park facilities. No impacts are expected to parks.

Mitigation Measures: None

Other public facilities?

Discussion:

No increase in demand for government services and other public facilities is expected beyond those discussed in this section. No impacts to other public facilities are expected.

Mitigation Measures: None



Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
---	---	---	----------------------

XV. RECREATION

- a) Would the Project increase the use of existing neighborhood and regional parks or other recreational facilities such that substantial physical deterioration of the facility would occur or be accelerated?

Discussion:

As previously discussed the Project proposes to construct a medical marijuana facility specifically geared for indoor cultivation. Properties immediately to the north and east of the project are in a vacant state with similar conditions to those found on-site. No residential land uses are proposed and the 20 employees generated by the Project would not cause a substantial increase to the current 7 existing neighborhood community, regional or pocket parks. Therefore, no impacts are expected relative to use or deterioration of existing parks.

Mitigation Measures: None

- b) Does the Project include recreational facilities or require the construction or expansion of recreational facilities which might have an adverse physical effect on the environment?

Discussion:

The construction of the proposed cultivation facility within a light industrial zoned area will not involve a recreational facility. No construction or expansion of other recreational facilities is required for Project implementation and no impacts are anticipated.

Mitigation Measures: None

XVI. TRANSPORTATION/TRAFFIC -- Would the Project:

- a) Conflict with an applicable plan, ordinance or Policy establishing measures of effectiveness for the performance of the circulation system, taking into account all modes of transportation including mass transit and non-motorized travel and relevant components of the circulation system, including but not limited to intersections, streets, highways and freeways, pedestrian and bicycle paths, and mass transit?

Discussion:

The Project proposes to construct a medical marijuana facility for the purposes of indoor cultivation with supporting infrastructure improvements on approximately 1.23 acres in accordance with City Ordinance 552 and 553. The property is zoned Light Industrial, this zone is intended to provide for any and all industrial uses operating entirely in enclosed buildings, and those requiring limited and screen-



Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
---	---	---	----------------------

able outdoor storage space. The Project site is largely segregated from the City's intense residential and commercial uses. This is consistent with the City's General Plan land use designation.

The proposed cultivation facility is located east of Little Morongo Road and north of 15th Avenue. The Project site will have two gated points of access and an internal loop drive aisle. One access point is proposed to be located on Little Morongo Road. This roadway is currently paved with two lanes and no curb and gutter and forms the western boundary of the Project. The second access point is proposed to be located on 15th Avenue. This roadway is currently an unimproved dirt road.

The site will be entirely enclosed within perimeter security fencing. The gated entry/exit drives will control vehicular access onto and off of the property. Circulation and parking will be consistent with City parking standards as determined by City Staff.

The structure includes truck access to an internal loading area. A paved surface is proposed for the main drive aisles and parking areas. The Project will be developed in one Phase. Operations are anticipated to be similar to that of a standard wholesale nursery. The project is anticipated to operate with approximately 20 full time employees. Hours will be consistent with Ordinance 552. Medical marijuana facilities may operate between the hours of 8:00 am and 10:00 pm up to seven days per week. The cultivation of marijuana requires staff to be present on premises 24 hours per day. Only authorized staff and delivery personnel will be allowed to enter the premises.

The Average Daily Trips (ADT) refers to the total number of vehicles that travel a defined segment of roadway over a twenty-four hour period. The standard most often used to evaluate the operating conditions of the transportation system is called level of service (LOS). LOS is a qualitative assessment of the quantitative effect of factors such as: speed and travel time, traffic volume, geometric features, traffic interruptions, delays, and freedom to maneuver, driver comfort and convenience, and vehicle operating costs. LOS allows operating conditions to be categorized as LOS "A" through LOS "F", where LOS "A" represents the most favorable free flow condition and LOS "F" the least favorable forced flow driving condition. The LOS categories are based on relative levels of driver acceptability of various delays. A given lane or roadway may provide a wide range of service levels, depending upon traffic volumes and speeds.

Roadway capacity has been defined as the maximum number of vehicles that can pass over a given roadway during a given time period under prevailing roadway and traffic conditions. The capacity of a roadway used for design purposes (generally defined as LOS D) is the level at which the facility is handling the maximum traffic volume that it can accommodate while maintaining an acceptable level of driver satisfaction. The City of Desert Hot Springs has defined Level of Service "D" as the minimum adequate intersection service level during peak hours for planning and design purposes.

Little Morongo Road is designated as a Major Collector. Major Collector streets include a 110 ft. right-of-way, with 6 lanes, a 14 ft. median and on-street parking. 15th Avenue is designated as a Local Collector, with a proposed 60 ft right-of-way, 2 lanes and on street parking. The General Plan roadway designations are determined based on projected traffic numbers associated with land use. The proposed Project is consistent with the General Plan Land Use Designation. The proposed Project will



Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
---	---	---	----------------------

be conditioned to improve the adjacent portions of Little Morongo Road and 15th Avenue to their ultimate conditions. The improvements are identified as a half-width (55 ft. and 30 ft. respectively) section, including paving, gutter, sidewalk and landscaped parkway. Final Street Improvement Plans will be reviewed and approved by the City.

The proposed cultivation facility is proposed to function as a small-scale, specialized operation that is representative of nurseries with wholesale distribution components. Prior to approval, the proposed site circulation, including offsite street design standards and the Project’s fair share portion of offsite street improvements will be reviewed by the City as part of the site and conditional use analysis. As a Standard Condition, the applicant shall complete adjacent roadway improvements as designated by the General Plan.

The Transportation Uniform Mitigation Fee (TUMF) Ordinance became effective July 1, 1989. The TUMF program is a component of the twenty year Measure A, sales tax program managed by the Coachella Valley Association of Governments (CVAG) and approved by voters in November, 1988. In 2002, a thirty year extension was approved by Riverside County voters and resulted in an expiration date of 2039.

Under the TUMF, developers of residential, industrial and commercial property pay a development fee to fund transportation Projects that will be required as a result of the growth the Projects create. TUMF will be required as a Condition of Approval.

Following implementation of Standard Conditions, the Project is not anticipated to conflict with an applicable plan, ordinance or Policy establishing measures of effectiveness for the performance of the circulation system. Less than significant impacts are expected.

Mitigation Measures: None

- b) Conflict with an applicable congestion Management Program, including, but but not limited to level of service standards and travel demand measures, or other standards established by the county congestion management agency for designated roads or highways?

Discussion:

The Congestion Management Program (CMP,) prepared by the Riverside County Transportation Commission (RCTC,) is intended to link land use, transportation and air quality with reasonable growth management methods, strategies and programs that effectively utilize new transportation funds to alleviate traffic congestion and related impacts. As the designated Congestion Management Agency (CMA), the RCTC prepares the CMP that designates a system of highways and roadways to include all State Highway facilities within Riverside County and a system of “principal arterials” to be included as the Congestion Management System (CMS.) Program updates include consultation with local agencies, the County of Riverside, transit agencies and sub-regional agencies like the Coachella Valley Association of Governments (CVAG).



Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
--------------------------------------	---	------------------------------------	--------------

It is the responsibility of local agencies, when reviewing and approving development proposals to consider the traffic impacts to the CMS. All development proposals and circulation Projects to be included within the City of Desert Hot Springs are required to comply with the current policies and procedures set forth by the RCTC's CMP. The CMA provides a uniform database of traffic impacts for use in a countywide transportation computer model. The RCTC has recognized use of the Coachella Valley Area Transportation System (CVATS) sub-regional transportation model and the Riverside Transportation Analysis Model (RIVTAM) to analyze traffic impacts associated with development proposals or land use plans. The methodology for measuring LOS must be that contained in the most recent version of the Highway Capacity Manual. Traffic standards must be set no lower than LOS E for any segment or intersection on the CMP system unless the current LOS is lower (i.e., LOS F).

The Project is located approximately 2.0 miles northeast of the Indian Canyon westbound on-ramp to the Interstate 10 Freeway (I-10). Interstate 10 is identified as a CMP corridor. Traffic resulting from the small-scale operations at the proposed cultivation facility, in compliance with the General Plan, is not anticipated to individually or cumulatively contribute to an exceedance of a level of service standard established in the CMP. Impacts are expected to be less than significant.

Mitigation Measures: None

- c) Result in a change in air traffic patterns, including either an increase in traffic levels or a change in location that results in substantial safety risks?

Discussion:

The Project is not located within proximity to an airport and therefore would not result in impacts to air traffic patterns. No impacts are expected.

Mitigation Measures: None

- d) Substantially increase hazards due to a design feature (e.g., sharp curves or dangerous intersections) or incompatible uses (e.g., farm equipment)?

Discussion:

The proposed medical marijuana cultivation facility is a permissible facility within the existing Light Industrial district located on and around Little Morongo Road. In its current condition, the undeveloped Project property is bordered by the paved alignment of Little Morongo Road to the west and the unpaved alignment of 15th Avenue to the south.

To provide proper access to the facility, off-site design and the proposed off-site improvements include street paving on portions of Little Morongo Road and 15th Avenue along the Project's frontage. Circulation design will undergo City and Fire Department review before approval to ensure that the local development standards for roadways, in interior and exterior circulation designs, are met without resulting in traffic safety impacts including hazardous design features. The Project will not include sharp



Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
--------------------------------------	---	------------------------------------	--------------

curves or dangerous intersections. No incompatible uses will result from the proposed Project. Impacts are expected to be less than significant.

Mitigation Measures: None

- e) Result in inadequate emergency access?

Discussion:

The proposed Project will provide adequate access to emergency response vehicles, as required by the City of Desert Hot Springs and in accordance with the Fire Department review and requirements. Site plan review would include in-depth analysis of emergency access to the site to ensure proper access to facilities. As mentioned previously, the proposed site plan provides two vehicular access points, one on Little Morongo Road and one on 15th Avenue. The design details of the vehicular driveways will be reviewed and approved by the Fire Department and the City.

The Project is anticipated to provide proper premises identification with legible site name, address numbers, and clear signage indicating the site access points. Security gates, controlled access key boxes, operational fire hydrants and extinguishers are also required in accordance with Chapter 15.24 of the Desert Hot Springs Municipal Code. Off-site Project improvements will involve paving on Little Morongo Road and 15th Avenue within the required rights-of-way and according to the City's designated street standards.

Following implementation of standard conditions, the Project is anticipated to result in less than significant impact related to emergency access.

Mitigation Measures: None

- f) Conflict with adopted policies, plans, or programs regarding public transit, bicycle, or pedestrian facilities, or otherwise decrease the performance or safety of such facilities?

Discussion:

SunLine Transit Agency provides bus services to the City of Desert Hot Springs through Lines 14 and 15. Line 20 is available on weekdays only. Line 14 and 20 are the nearest routes to the Project. One bus stop is found in the vicinity of the Project and located approximately 1.5 miles in driving/biking distance to the east at the intersection of Palm Drive and Dillon Road.

SunLine Transit Agency buses are wheelchair accessible and include bicycle racks accommodating two or three bicycles. The potential use of local bus services by future Project employees is not expected to conflict with or substantially increase the demand for this transit service. Project implementation is not anticipated to interfere with the existing service or performance at bus stop facilities. Less than significant impacts are anticipated.



Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
---	---	---	----------------------

If future demand warrants, expansion of available services may be appropriate. Transit services are monitored by both the City and SunLine. Additional services are periodically considered in response to anticipated increase in use.

The proposed Project would improve pedestrian mobility by incorporating pedestrian sidewalks along the frontage of Little Morongo Road and 15th Avenue (outside of the proposed property fencing), where currently none exist. The widening and improvements of the roadways do not include bicycle lanes however improvements resulting from the Project are expected to enhance, rather than obstruct or conflict with, the City's established goals on bicycle transportation or with any existing facilities. Less than significant impacts are expected.

Mitigation Measures: None

XVI. UTILITIES AND SERVICE SYSTEMS -- Would the Project:

- a) Exceed wastewater treatment requirements of the applicable Regional Water Quality Control Board?

Discussion:

The Project falls under the Mission Springs Water District's (MSWD) sewer service area. Public sewer and water is provided to the Project area by the Mission Springs Water District. MSWD does not currently have infrastructure in place for sewer services. MSWD operates two wastewater treatment plants serving 7,300 parcels and a population of approximately 20,400. The Horton Wastewater Treatment Plant (Horton WWTP), located on Verbena Drive about a half mile south of Two Bunch Palms Trail, has a capacity of 2.3 million gallons per day (mgd) (2,800 AFY). The Project is proposing a 29,000 square foot facility specialized for the indoor cultivation of medical marijuana; wastewater is expected to be minimal as the project would only require up to 20 employees. The Project is not exceed wastewater treatment requirements of the State Regional Water Quality Control Board (SRWQCB) (Colorado River Basin). In addition, City and other local and governmental agency review will ensure compliance with all current and applicable wastewater treatment requirements. Less than significant impacts are expected.

Mitigation Measures: None

- b) Require or result in the construction of new water or wastewater treatment facilities or expansion of existing facilities, the construction of which could cause significant environmental effects?

Discussion:

MSWD provides domestic water and wastewater service in the Project vicinity. The site is currently vacant and undeveloped land and currently not served by existing utilities. The Project proposes to connect to the existing 16 inch water mains along Little Morongo Road and 15th Avenue. The Project site does not have access to wastewater service at this time. MSWD operates two wastewater treatment plants serving 7,300 parcels and a population of approximately 20,400. The Horton



Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
---	---	---	----------------------

Wastewater Treatment Plant (Horton WWTP), located on Verbena Drive about a half mile south of Two Bunch Palms Trail, has a capacity of 2.3 million gallons per day (mgd) (2,800 AFY).

As part of the overall sewer improvements, MSWD has installed approximately 65,700 linear feet of sewer since 2010 and has abated approximately 1,275 septic tanks. The District is continuing to make additional sewer improvements and when complete will result in 31,300 linear feet of new sewer and service to 695 parcels and approximately 518 additional active septic tanks will be abated.

The 2007 MSWD Sewer Master Plan identifies the need for a Regional Waste Water Treatment Plant (RWWTP) which is proposed at the northeast intersection of I-10 and Indian Ave. At this location, a majority of the MSWD service area can be served and wastewater collected and conveyed to the proposed RWWTP via a gravity system. The Sewer Master Plan states that this RWWTP should have been planned, designed and constructed and operational by 2012. However, the District is still awaiting further study and adequate funding sources. Per the 2015 MSWD Urban Water Management Plan, the RWWTP is expected to be in operation by 2018.

The Proposed project is designed to connect into sewer infrastructure contingent upon on the MSWD proposed RWWTP and a 21” sewer line proposed on Little Morongo Road as outlined in the 2007 MSWD Sewer Master Plan. However, the development of the proposed project is not reliant on the installation of sewer and as an alternative is designed with a septic system and leech field for on-site waste disposal. The septic system and leech field will be properly abated per City and County standards once MSWD sewer infrastructure or some equal infrastructure is installed and operating.

The wastewater from the proposed project is expected to be minimal and easily accommodated given the size and nature of the project. The operation and construction of the septic system will comply with the requirements of the State Regional Water Quality Control Board and Riverside County Health Department along with MSWD and the City. The sewer master planned facilities will comply with CEQA protocols prior to construction, to include environmental analysis. Connections into sewer infrastructure once installed will undergo review by MSWD and City Staff to ensure wastewater capacity and compliance. Additionally, sewer installation and connection fees in place at the time of development or connection would be collected by MSWD. The Therefore, less than significant impacts are expected.

Mitigation Measures: None

- c) Require or result in the construction of new storm water drainage facilities or expansion of existing facilities, the construction of which could cause significant environmental effects?

Discussion:

The flood plain in the Project vicinity has a FEMA Zone AO designation, deemed subject to inundation by the 100-year (1-percent-annual-chance) flood and an average velocity of 5 feet per second and a portion is 4 FPS. The Zone AO plane designation encompasses undeveloped and developed properties.



Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
---	---	---	----------------------

Project implementation would involve permanent site improvements on approximately 1.23 acres, therefore introducing impervious surfaces in the form of buildings, paving, and hardscape to the previously undeveloped (pervious) land. The nature of the Project requires ample utilization of the entire property to accommodate the proposed facilities and operations (parking lot, drive aisles, structures, etc.)

The project includes a proposed underground retention facility on the east-end of the property. Stormwater runoff from throughout the Project, including parking areas, hardscape and roof drainage, would be carried to this retention facility via surface and piped conveyances. The structure would be sized to contain the largest increase in runoff volume between the pre- and post-construction condition caused by the controlling storm event. As a result, opportunities to minimize imperviousness through the use of landscaping, natural areas or other pervious surfaces are limited and interspersed throughout the Project site plan. Based on the Preliminary Hydrology Report, approximately 73 percent of the proposed on-site development would consist of impervious coverage (buildings, access roads, parking, and sidewalks) and the remaining areas would consist of pervious coverage (landscape areas).

To prevent changes to local drainage conditions (patterns, quantities, or velocities) and adverse erosion and sedimentation impacts, the Project is expected to incorporate a storm drain design and flood control facilities. The Project would include underground retention on the east-end of the property. Stormwater runoff from throughout the Project, including parking areas, hardscape and roof drainage, would be carried to this retention facility via surface and piped conveyances.

Storm drain facilities are required to be sized to contain the largest increase in runoff volume between the pre- and post-construction condition caused by the controlling storm event. Runoff in excess of the storm drain system capacity would be conveyed through the site and discharge on the south and easterly limits. The proposed buildings will be protected with flood barriers at the building entries.

The Project will be required to comply with all construction requirements and best management practices through the life of the Project. Standard engineering procedures currently in place require that all final grading and hydrology plans be submitted to the City of Desert Hot Springs for review and approval prior to the issuance of a grading permit. Less than significant impacts are expected.

Mitigation Measures: None

- d) Have sufficient water supplies available to serve the Project from existing entitlements and resources, or are new or expanded entitlements needed?

Discussion:

Groundwater is the primary source of domestic water supply in the Coachella Valley; the Mission Springs Water District (MSWD) provides potable water to the City by extracting groundwater from the Mission Creek subbasin. The existing MSWD distribution system consist of three independent water distribution systems: 1) Desert Hot Springs and surrounding area system – encompasses the City of



Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
---	---	---	----------------------

DHS, a portion of the City of Palm Springs and surrounding unincorporated area of Riverside County, 2) Palm Springs Crest System, and 3) West Palm Springs Village System.

Per the MSWD 2015 Urban Water Management Plan, the MSWD system, inclusive of all three distribution systems, has approximately 1.26 million linear feet of pipeline. The District's service area currently includes 9 active wells that supply the Desert Hot Springs System and two wells each for the Palm Springs Crest System and West Palm Springs Village System. The MSWD 2015 UWMP states the Mission Springs subbasin is currently in overdraft condition. MSWD, DWA, and CVWD now jointly manage the Mission Creek Subbasin under the terms of the Mission Creek Settlement Agreement (December, 2004). This agreement and the 2003 Mission Creek Groundwater Replenishment Agreement between CVWD and DWA specify that the available SWP water will be allocated between the Mission Creek and Whitewater River Subbasins in proportion to the amount of water produced or diverted from each Subbasin during the preceding year. In 2014, production from the Mission Creek Subbasin was about 7.4 percent of the combined production from these two Subbasins.

As required by the policies of the General Plan, the City will continue to cooperate with MSWD and other agencies/jurisdictions in implementing a groundwater replenishment program capable of ensuring the viability of the Mission Creek subbasin.

The proposed development will be expected to follow water conservation guidelines to mitigate impacts to public water supplies. Examples of these water conservation methods include water conserving plumbing fixtures, drought tolerant landscaping, and drip irrigation systems. The Project proposes to connect to the existing 16 inch water mains along Little Morongo Road and 15th Avenue. Additional domestic water improvements necessary to serve this development will be identified by MSWD and included as conditions of approval by the City of Desert Hot Springs during the City's standard review process. Less than significant impacts to water supply are expected.

Mitigation Measures: None

- e) Result in a determination by the wastewater treatment provider which serves or may serve the Project that it has adequate capacity to serve the Project's projected demand in addition to the provider's existing commitments?

Discussion:

MSWD operates two wastewater treatment plants serving 7,300 parcels and a population of approximately 20,400. The Horton Wastewater Treatment Plant (Horton WWTP), located on Verbena Drive about a half mile south of Two Bunch Palms Trail, has a capacity of 2.3 million gallons per day (mgd) (2,800 AFY). As part of the overall sewer improvements, MSWD has installed approximately 65,700 linear feet of sewer since 2010 and has abated approximately 1,275 septic tanks. The District is continuing to make additional sewer improvements and when complete will result in 31,300 linear feet of new sewer and service to 695 parcels and approximately 518 additional active septic tanks will be abated.



Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact
---	---	---	----------------------

The Proposed project is designed to connect into sewer infrastructure contingent upon on the MSWD proposed RWWTP and 21" sewer line connection proposed on Little Morongo Road as outlined in the 2007 MSWD Sewer Master Plan. However, the development of the proposed project is not reliant on the installation of sewer and as an alternative is designed with a septic system and leech field for on-site waste disposal. The septic system and leech field will be properly abated per City and County standards once MSWD sewer infrastructure or some equal infrastructure is installed and operating.

Wastewater is expected to be minimal and easily accommodated by the septic system. The operation and construction of these facilities will comply with the requirements of the State Regional Water Quality Control Board and Riverside County Health Department along with MSWD and the City. The sewer master planned facilities will comply with CEQA protocols prior to construction, to include environmental analysis. The project's connections into sewer infrastructure once installed will undergo review by MSWD and City Staff to ensure wastewater capacity and compliance. Additionally, sewer installation and connection fees in place at the time of development or connection would be collected by MSWD. Less than significant impacts to wastewater treatment are expected.

Mitigation Measures: None

- f) Be served by a landfill with sufficient permitted capacity to accommodate the Project's solid waste disposal needs?

Discussion:

Solid waste disposal and recycling services for the City of Desert Hot Springs are provided by Desert Valley Disposal (DVD). Commercial waste and recycling collected from the proposed Project will be hauled to the Edom Hill Transfer Station. Waste from this transfer station is then sent to a permitted landfill or recycling facility outside of the Coachella Valley. These include Badlands Disposal Site, El Sobrante Sanitary Landfill and Lamb Canyon Disposal Site. CalRecycle data indicates that these landfills have 40-50% of their remaining estimated capacity. Additionally, solid waste generated by a medical marijuana Cultivation facility would be minimal. Less than significant impacts to solid waste are expected.

Mitigation Measures: None

- g) Comply with federal, state, and local statutes and regulations related to solid waste?

Discussion:

The City of Desert Hot Springs contracts with Desert Valley Disposal to serve the solid waste disposal needs of the city, including the Project. The Project will comply with all applicable solid waste statutes and guidelines. No impacts are expected relative to solid waste statues and regulations.

Mitigation Measures: None



Potentially Significant Impact

Less Than Significant with Mitigation Incorporated

Less Than Significant Impact

No Impact

XVII. MANDATORY FINDINGS OF SIGNIFICANCE --

- a) Does the Project have the potential to degrade the quality of the environment, substantially reduce the habitat of a fish or wildlife species, cause a fish or wildlife population to drop below self-sustaining levels, threaten to eliminate a plant or animal community, reduce the number or restrict the range of a rare or endangered plant or animal or eliminate important examples of the major periods of California history or prehistory?

Discussion:

Based upon the information and mitigation measures provided within this Initial Study and independent studies prepared for Biological and Cultural Resources, approval and implementation of the Project is not expected to substantially alter or degrade the quality of the environment, including biological, cultural or historical resources. Less than significant impacts are expected.

Mitigation Measures: None

- b) Does the Project have impacts that are individually limited, but cumulatively considerable? ("Cumulatively considerable" means that the incremental effects of a Project are considerable when viewed in connection with the effects of past Projects, the effects of other current Projects, and the effects of probable future Projects)?

Discussion:

The Project is located in a partially developed setting designated for light industrial uses. Cultivation is a conditionally permitted use with the City's Light Industrial zone with a Conditional Use Permit and Regulatory Permit. The facility would be compatible with the existing and future land uses within the Light Industrial zone. Based upon the information and mitigation measures provided within this Initial Study, approval and implementation of the proposed cultivation facility is not expected to result in impacts that, when considered in relation to other past, current or probable future Projects, would be cumulatively considerable. Less than significant impacts are expected.

Mitigation Measures: None



Potentially Significant Impact

Less Than Significant with Mitigation Incorporated

Less Than Significant Impact

No Impact

c) Does the Project have environmental effects which will cause substantial adverse effects on human beings, either directly or indirectly?

Discussion:

As discussed in the various sections throughout this Initial Study, the proposed Project would not include a land use that could result in substantial adverse effects on human beings. The City of Desert Hot Springs has established regulations pertaining to medical marijuana facilities to ensure these facilities do not conflict with the City's General Plan, its surrounding uses, or become detrimental to the public health, safety and welfare. The City's detailed review process of improvement plans and facility operations will ensure that the regulations are fully implemented. Based upon the findings provided in this document, and mitigation measures and standard conditions incorporated into the Project, less than significant impacts are expected.

Mitigation Measures: None



Sources

City of Desert Hot Springs Comprehensive General Plan, adopted September 5, 2000

City of Desert Hot Springs Municipal Code

Riverside County General Plan (RCIP), adopted October 7, 2003

Mission Springs Water District 2015 Urban Water Management Plan, June 2016

Mission Springs Water District Wastewater System Comprehensive Master Plan, April 2007

Special Studies

Biological Analysis, prepared by Jim W. Cornett, Ecological Consultants, October, 2016

Geotechnical Analysis, prepared by Geocon, August 2016

Historical/Archaeological Resources Survey, prepared by CRM TECH, October, 2016

Preliminary Hydrology Report, prepared by MSA Consulting, Inc., October, 2016

