



Quote 135595-01

September 22, 2019

Sourcewell Member # 26835

CITY OF DESERT HOT SPRINGS
65950 Pierson Blvd
Desert Hot Springs
California
92240



Attention: Nicholas Haecker

Dear Sir,

We would like to thank you for your interest in our company and our products, and are pleased to quote the following for your consideration.

Sourcewell Member #

CATERPILLAR INC. Model: 926M Wheel Loader

STOCK NUMBER: NS0012041

SERIAL NUMBER: 0LTE06591

YEAR: 2019

We wish to thank you for the opportunity of quoting on your equipment needs. This quotation is valid for 30 days, after which time we reserve the right to re-quote. If there are any questions, please do not hesitate to contact me.

Sincerely,

Jose Farias
Machine Sales Representative

CATERPILLAR INC. Model: 926M Wheel Loader**STANDARD EQUIPMENT****POWERTRAIN**

Axle seal guards
Auto Idle shut down feature
Cat C7.1ACERT engine
-Power Modes (Standard and Performance)
-Power by Range (High Power in Range 4)
-Tier 4 Final/Stage IV compliant
-Turbocharged and aftercooled
-Filtered crankcase breather
-Diesel particulate filter
-Selective Catalyst Reduction
Coolant protection to -34C (-29F)
Differential lock in front axle
Dry type air cleaner
Enclosed wet disc full hydraulic brakes
Fuel priming pump, automatic
Fuel water separator

Hydraulically driven demand cooling fan
Hydrostatic transmission with electronic control
-Operator Modes (Default, TC, Hystat and Ice)
-Directional Shift Aggressiveness (Fast, Medium, Slow)
-Rimpull control, adjust wheel torque
-Creeper control, adjust ground speed
Lubed for life driveshafts
Parking brake, electric
Single plane cooling package wide 6 fins per inch density
S-O-S port, engine, coolant, transmission oil

HYDRAULICS

Automatic lift and bucket kickouts, adjustable in-cab
Bucket and Fork Modes, adjustable in-cab
Cylinder damping at kickout and mechanical end stops
Fine Mode control (Fast, Medium, Slow) in Fork Mode

Hydraulic Response setting (Fast, Medium, Slow)
Hydraulic diagnostic connectors and S-O-S ports
Hydraulic sight gauge, visible
Load sensing hydraulics and steering
Seat mounted hydraulic joystick controls

ELECTRICAL

Alternator, 115-amp, heavy duty
12V power supply in cab (2)
Batteries, 1,000 CCA (2) 24 volt system, disconnect switch
Back up alarm
Emergency shutdown switch
Halogen work lights front and rear, LED

rear stop and turn lights
Heavy duty gear reduction starter
Product Link PRO w/3 year subscription
Remote jump start post
Resettable main and critical function breakers
Roading lights front and rear

OPERATOR ENVIRONMENT

75 mm (3 in) retractable seatbelt
Automatic temperature control
Cab, enclosed ROPS/FOPS pressurized and sound suppressed

Interior cab lighting, door and dome
Interior rearview mirrors (2)
Lunch box storage
Operator warning system indicators

Cup holders
External heated mirrors with lower
parabolic
Ground level cab door release
Gauges
-Digital hour meter, odometer and
tachometer
-Digital ground speedometer and
direction indicator
-Engine coolant temperature gauge
-Fuel and Diesel Exhaust Fluid level
indicator
-Hydraulic oil temperature gauge
Hydraulic control lockout

Radio ready speakers
Rear window defrost, electric
Seat mounted electronic implement
controls, adjustable
Sliding glass on the side windows
Column mounted multi function control
-lights, wipers, turn signal
Suspension seat, fabric
Tilt and telescope steering wheel
Tinted front glass
Wet arm wiper/washer, 2-speed and
intermittent, front
Wet arm wiper washer, rear

OTHER STANDARD EQUIPMENT

Large-access enclosure doors with
adjustable close/open force
Parallel lift loader linkage
Recovery hitch with pin

Remote mounted lubrication points
Vandalism protection-
lockable compartments

MACHINE SPECIFICATIONS

Description	Reference No
926M WHEEL LOADER	536-5300
PREP PACK, UNITED STATES	430-2943
STEERING, STANDARD	430-2996
DIFFERENTIAL, OPEN REAR	333-6528
WEATHER, STANDARD	454-0609
ENGINE AR	430-3038
LIGHTS, STD HALOGEN	488-1112
RADIO, CD, DELUXE	333-1369
FENDERS, STANDARD	366-8148
COUNTERWEIGHT, LOGGER/AGG	467-7988
TOOLBOX AUX	491-7922
KIT,SERIALIZED TECHNICAL MEDIA	0P-2491
RIDE CONTROL	430-2859
CAMERA, REAR VIEW	377-5635
SIDE MIRROR, RH	482-5167
GUARD, POWERTRAIN, LOWER	349-8165
GUARD, POWERTRAIN, SIDE	425-1425
GUARD, DRIVESHAFT	349-7940
ANTIFREEZE, -50C (-58F)	0P-2407
CERTIFICATE OF ORIGIN, ENGLISH	0G-6022
PACK, DOMESTIC TRUCK	0P-0210
TIRES, 20.5R25 TI MXL * L3	376-0827
LANE 2 ORDER	0P-9002
HYDRAULICS, STANDARD	536-5282
LIGHTS, ROADING, HALOGEN, RH	541-3066
LINES, AUX 3RD, NONE	536-5329
HYDRAULICS, 3V, CPLR READY, SL	536-5323
ENVIRONMENT, STANDARD	536-5320
CAB, DELUXE	536-5309
SEAT, DELUXE	563-5967
PRODUCT LINK, CELLULAR PL641	454-0589
QUICK COUPLER, FUSION	536-5313
JUMPER LINES, NONE	536-5339
BUCKET, GP, 3.5YD3, FUS	345-2426

Machine Sell Price	\$223,562.00
Machine SourceWell Discount (24%)	(\$53,654.88)
Machine Price after Discount	\$169,707.12
Freight and Prep Cost	\$2,250.00
Net Balance Due	\$171,957.12
CA SALES TAX (7.75%)	\$13,326.68
After Tax Balance	\$185,283.80

Sourcewell Contract#032515-Cat

Trade-in: J.D. 544G – 1995 – S/N 551043 – 5276 hours (as inspected) (\$18,000.00)

Total Amount Due: \$167,283.80

WARRANTY

Standard Warranty: 12 Months Full Machine

Extended Warranty 36 Months / 2000 Hours PREMIER WARRANTY

F.O.B/TERMS

Riverside Machine

FINANCING

Finance terms and conditions subject to credit approval by Caterpillar Financial Services Inc.(CFSC). Payment amounts, down payments, and terms are estimates only, final amounts must be determined by CFSC.

ADDITIONAL CONSIDERATIONS

- Delivery is 4-6 weeks

Accepted by _____ on _____

Signature